

# Package ‘RBM’

April 15, 2017

**biocViews** Microarray, DifferentialExpression

**Version** 1.6.0

**Date** 2014-10-02

**Title** RBM: a R package for microarray and RNA-Seq data analysis

**Author** Dongmei Li and Chin-Yuan Liang

**Maintainer** Dongmei Li <Dongmei\_Li@urmc.rochester.edu>

**Depends** R (>= 3.2.0), limma, marray

**Description** Use A Resampling-Based Empirical Bayes Approach to Assess Differential Expression in Two-Color Microarrays and RNA-Seq data sets.

**License** GPL (>= 2)

**NeedsCompilation** no

## R topics documented:

RBM-package . . . . .	1
ovarian_cancer_methylation . . . . .	3
RBM_F . . . . .	3
RBM_T . . . . .	5

<b>Index</b>	<b>7</b>
--------------	----------

---

RBM-package	<i>RBM: a package for microarray and RNA-Seq data analysis</i>
-------------	--

---

## Description

Use A Resampling-Based Empirical Bayes Approach to Assesse Differential Expression or Identifying differentially methylated loci in Two-Color Microarrays and RNA-Seq data sets. Significant features selected through RBM\_T or RBM\_F functions could be further used as input for pathway analysis or experimental vilidations.

## Details

Package: RBM  
Type: Package  
Version: 0.99.0  
Date: 2014-10-05  
Depends: R (>= 3.0.0), limma, marray  
License: GPL (>= 2)

## Author(s)

Dongmei Li and Chin-Yuan Liang Maintainer: Dongmei Li <dongmeiliur@gmail.com> and Chin-Yuan Liang <liang.tony@gmail.com>

## References

Li D, Le Pape MA, Parikh NI, Chen WX, Dye TD (2013) Assessing Differential Expression in Two-Color Microarrays: A Resampling-Based Empirical Bayes Approach. PLoS ONE 8(11): e80099. doi: 10.1371/journal.pone.0080099

## See Also

The [RBM\\_T](#) and [RBM\\_F](#) functions defined in this package. The [limma](#) and [marray](#) packages.

## Examples

```
normal_data <- matrix(rnorm(200*6), 200, 6)
mydesign <- c(0,0,0,1,1,1)
norm_result <- RBM_T(normal_data,mydesign,50,0.05)

unif_data <- matrix(runif(200*7, 0.10, 0.95), 200, 7)
mydesign2 <- c(0,0,0, 1,1,1,1)
unif_result <- RBM_T(unif_data,mydesign2,100,0.05)

normdata_F <- matrix(rnorm(200*9, 0, 2), 200, 9)
mydesign_F <- c(0, 0, 0, 1, 1, 1, 2, 2, 2)
aContrast <- c("X1-X0", "X2-X1", "X2-X0")
normresult_F <- RBM_F(normdata_F, mydesign_F, aContrast, 100, 0.05)

unifdata_F <- matrix(runif(200*18, 0.15, 0.98), 200, 18)
mydesign2_F <- c(rep(0, 6), rep(1, 6), rep(2, 6))
aContrast <- c("X1-X0", "X2-X1", "X2-X0")
unifresult_F <- RBM_F(unifdata_F, mydesign2_F, aContrast, 100, 0.05)
```

---

ovarian\_cancer\_methylation

*ovarian cancer methylation example from United Kingdom Ovarian Cancer Population Study (UKOPS)*

---

### Description

This data set contains DNA methylation level from 1000 DNA methylation loci in 8 randomly selected women with 4 ovarian cancer cases (pre-treatment) and 4 age-matched healthy controls.

### Usage

ovarian\_cancer\_methylation

### Format

A matrix containing 1000 rows and 8 columns with each row denoting a methylation locus and each column denoting a subject.

### Value

The ovarian cancer methylation example data set contains the following information:

IlmnID	Name of DNA methylation loci
case	Ovarian cancer patients
control	Healthy controls

### Source

NCBI GEO website with access number GSE19711

### References

Teschendorff AE, Menon U, Gentry-Maharaj A, Ramus SJ et al. Age-dependent DNA methylation of genes that are suppressed in stem cells is a hallmark of cancer. *Genome Res* 2010 Apr;20(4):440-6. PMID: 20219944

---

RBM\_F

*RBM\_F: a R function for microarray and RNA-Seq data analysis for designs with more than two groups*

---

### Description

Use A Resampling-Based Empirical Bayes Approach to Assess Differential Expression in Two-Color Microarrays and RNA-Seq data sets for designs with more than two groups.

### Usage

RBM\_F(aData, vec\_trt, aContrast, repetition, alpha)

**Arguments**

aData	The input data set with rows and columns denoting features and samples, respectively
vec_trt	A vector for group notation such as 1s denote treatment group and 0s denote control group
aContrast	A vector for contrast. For example: if we want to compare group 1 with group 0, group 2 with group 1, and group 2 with group 0, then the contrast vector will be ("X1-X0", "X2-"X1", "X2-X0")
repetition	The number of resamplings used in the analysis. You could use 1000 or higher number
alpha	The significance level

**Details**

Combine resampling with empirical Bayes approach for Microarrays and RNA-Seq data analysis.

**Value**

RBM\_F produces a named list with the following components:

ordfit_t	original t statistics
ordfit_pvalue	original p-values from lmFit and eBayes
ordfit_beta0	estimated mean for the control group
ordfit_beta1	estimated mean difference between treatment and control group
permutation_p	calculated p-values from permutation method based on resampled test statistics
bootstrap_p	calculated p-values from bootstrap method based on resampled test statistics

**Author(s)**

Dongmei Li and Chin-Yuan Liang

**References**

Li D, Le Pape MA, Parikh NI, Chen WX, Dye TD (2013) Assessing Differential Expression in Two-Color Microarrays: A Resampling-Based Empirical Bayes Approach. PLoS ONE 8(11): e80099. doi: 10.1371/journal.pone.0080099

**See Also**

The [RBM\\_T](#) function defined in this package. The limma and marray packages.

**Examples**

```
normdata_F <- matrix(rnorm(200*9, 0, 2), 200, 9)
mydesign_new <- c(0, 0, 0, 1, 1, 1, 2, 2, 2)
aContrast <- c("X1-X0", "X2-X1", "X2-X0")
normresult_F <- RBM_F(normdata_F, mydesign_new, aContrast, 100, 0.05)

unifdata_F <- matrix(runif(200*18, 0.15, 0.98), 200, 18)
mydesign2_new <- c(rep(0, 6), rep(1, 6), rep(2, 6))
aContrast <- c("X1-X0", "X2-X1", "X2-X0")
unifresult_F <- RBM_F(unifdata_F, mydesign2_new, aContrast, 100, 0.05)
```

---

RBM_T	<i>RBM_T: a R function for microarray and RNA-Seq data analysis for two-group comparisons</i>
-------	---

---

**Description**

Use A Resampling-Based Empirical Bayes Approach to Assess Differential Expression or Identify differentially methylated loci in Two-Color Microarrays and RNA-Seq data sets.

**Usage**

```
RBM_T(aData, vec_trt, repetition, alpha)
```

**Arguments**

aData	The input data set with rows and columns denoting features and samples, respectively
vec_trt	A vector for group notation such as 1s denote treatment group and 0s denote control group
repetition	The number of resamplings used in the analysis. You could use 1000 or higher number
alpha	The significance level

**Details**

Combine resampling with empirical Bayes approach for Microarrays and RNA-Seq data analysis.

**Value**

RBM\_T produces a named list with the following components:

ordfit_t	original t statistics
ordfit_pvalue	original p-values from lmFit and eBayes
ordfit_beta0	estimated mean for the control group
ordfit_beta1	estimated mean difference between treatment and control group
permutation_p	calculated p-values from permutation method based on resampled test statistics
bootstrap_p	calculated p-values from bootstrap method based on resampled test statistics

**Author(s)**

Dongmei Li and Chin-Yuan Liang

**References**

Li D, Le Pape MA, Parikh NI, Chen WX, Dye TD (2013) Assessing Differential Expression in Two-Color Microarrays: A Resampling-Based Empirical Bayes Approach. PLoS ONE 8(11): e80099. doi: 10.1371/journal.pone.0080099

**See Also**

The [RBM\\_F](#) function defined in this package. The limma and marray packages.

**Examples**

```
normal_data <- matrix(rnorm(200*6), 200, 6)
mydesign <- c(0,0,0,1,1,1)
norm_result <- RBM_T(normal_data,mydesign,50,0.05)

unif_data <- matrix(runif(200*7, 0.10, 0.95), 200, 7)
mydesign2 <- c(0,0,0, 1,1,1,1)
unif_result <- RBM_T(unif_data,mydesign2,100,0.05)
```

# Index

\*Topic **Microarray and RNA-Seq**

RBM\_F, [3](#)

RBM\_T, [5](#)

\*Topic **Resampling, Empirical Bayes,  
Microarray, RNA-Seq**

RBM-package, [1](#)

\*Topic **Resampling**

RBM\_F, [3](#)

RBM\_T, [5](#)

\*Topic **datasets**

ovarian\_cancer\_methylation, [3](#)

ovarian\_cancer\_methylation, [3](#)

RBM (RBM-package), [1](#)

RBM-package, [1](#)

RBM\_F, [2](#), [3](#), [5](#)

RBM\_T, [2](#), [4](#), [5](#)