

# Package ‘curatedMetagenomicData’

October 16, 2018

**Type** Package

**Title** Curated Metagenomic Data of the Human Microbiome

**Version** 1.10.2

**Author** Lucas Schiffer <schiffer.lucas@gmail.com>,  
Edoardo Pasolli <edoardo.pasolli@unitn.it>,  
Levi Waldron <lwaldron.research@gmail.com>,  
Faizan Malik <faizankmalik2012@yahoo.com>,  
Nicola Segata <nicola.segata@unitn.it>,  
Valerie Obenchain <Valerie.Obenchain@roswellpark.org>,  
Morgan Martin <martin.morgan@roswellpark.org>

**Maintainer** Lucas Schiffer <schiffer.lucas@gmail.com>

**Description** The curatedMetagenomicData package provides microbial taxonomic, functional, and gene marker abundance for samples collected from different bodysites.

**URL** <https://github.com/waldronlab/curatedMetagenomicData>

**BugReports** <https://github.com/waldronlab/curatedMetagenomicData/issues>

**License** Artistic-2.0

**Encoding** UTF-8

**LazyData** true

**Depends** R (>= 3.4.0), dplyr (>= 0.5.0), Biobase (>= 2.37.0),  
ExperimentHub (>= 1.3.0), AnnotationHub (>= 2.9.0)

**Imports** utils, tidyr, magrittr, methods, S4Vectors

**Suggests** BiocInstaller, devtools, roxygen2, testthat, covr, knitr,  
rmarkdown, BiocCheck, BiocStyle, BiocParallel, readr, RISmed,  
ggplot2, metagenomeSeq, phyloseq, ape

**VignetteBuilder** knitr

**biocViews** Homo\_sapiens\_Data, ReproducibleResearch, MicrobiomeData

**RoxygenNote** 6.0.1

**git\_url** <https://git.bioconductor.org/packages/curatedMetagenomicData>

**git\_branch** RELEASE\_3\_7

**git\_last\_commit** c9bc731

**git\_last\_commit\_date** 2018-07-13

**Date/Publication** 2018-10-16

**R topics documented:**

|                            |    |
|----------------------------|----|
| AsnicarF_2017              | 3  |
| BritoIL_2016               | 4  |
| Castro-NallarE_2015        | 5  |
| Castro_NallarE_2015        | 6  |
| ChngKR_2016                | 7  |
| cmdValidVersions           | 8  |
| combined_metadata          | 9  |
| curatedMetagenomicData     | 11 |
| ExpressionSet2MRexperiment | 12 |
| ExpressionSet2phyloseq     | 13 |
| FengQ_2015                 | 14 |
| getMetaphlanTree           | 15 |
| HanniganGD_2017            | 16 |
| Heitz-BuschartA_2016       | 17 |
| Heitz_BuschartA_2016       | 18 |
| HMP_2012                   | 19 |
| KarlssonFH_2013            | 21 |
| LeChatelierE_2013          | 22 |
| LiJ_2014                   | 23 |
| LiJ_2017                   | 25 |
| LiuW_2016                  | 26 |
| LomanNJ_2013               | 27 |
| LouisS_2016                | 28 |
| mergeData                  | 29 |
| NielsenHB_2014             | 30 |
| Obregon-TitoAJ_2015        | 32 |
| Obregon_TitoAJ_2015        | 33 |
| OhJ_2014                   | 34 |
| QinJ_2012                  | 35 |
| QinN_2014                  | 36 |
| RampelliS_2015             | 37 |
| RaymondF_2016              | 38 |
| SchirmerM_2016             | 39 |
| SmitsSA_2017               | 40 |
| TettAJ_2016                | 41 |
| VatanenT_2016              | 42 |
| VincentC_2016              | 43 |
| VogtmannE_2016             | 44 |
| XieH_2016                  | 45 |
| YuJ_2015                   | 46 |
| ZellerG_2014               | 47 |

---

AsnicarF\_2017

*Data from the AsnicarF\_2017 study*

---

## Description

Data from the AsnicarF\_2017 study

## Datasets

**AsnicarF\_2017.genefamilies\_relab.milk:** An ExpressionSet with 8 samples and 752,977 features specific to the milk body site

**AsnicarF\_2017.genefamilies\_relab.stool:** An ExpressionSet with 16 samples and 752,977 features specific to the stool body site

**AsnicarF\_2017.marker\_abundance.milk:** An ExpressionSet with 8 samples and 53,228 features specific to the milk body site

**AsnicarF\_2017.marker\_abundance.stool:** An ExpressionSet with 16 samples and 53,228 features specific to the stool body site

**AsnicarF\_2017.marker\_presence.milk:** An ExpressionSet with 8 samples and 50,192 features specific to the milk body site

**AsnicarF\_2017.marker\_presence.stool:** An ExpressionSet with 16 samples and 50,192 features specific to the stool body site

**AsnicarF\_2017.metaphlan\_bugs\_list.milk:** An ExpressionSet with 8 samples and 799 features specific to the milk body site

**AsnicarF\_2017.metaphlan\_bugs\_list.stool:** An ExpressionSet with 16 samples and 799 features specific to the stool body site

**AsnicarF\_2017.pathabundance\_relab.milk:** An ExpressionSet with 8 samples and 9,274 features specific to the milk body site

**AsnicarF\_2017.pathabundance\_relab.stool:** An ExpressionSet with 16 samples and 9,274 features specific to the stool body site

**AsnicarF\_2017.pathcoverage.milk:** An ExpressionSet with 8 samples and 9,274 features specific to the milk body site

**AsnicarF\_2017.pathcoverage.stool:** An ExpressionSet with 16 samples and 9,274 features specific to the stool body site

## Source

**Title:** Studying Vertical Microbiome Transmission from Mothers to Infants by Strain-Level Metagenomic Profiling.

**Author:** Asnicar F, Manara S, Zolfo M, Truong DT, Scholz M, Armanini F, Ferretti P, Gorfer V, Pedrotti A, Tett A, Segata N

**Lab:** [1] Centre for Integrative Biology, University of Trento, Trento, Italy., [2] Azienda Provinciale per i Servizi Sanitari, Trento, Italy.

**PMID:** 28144631

**Examples**

```
AsnicarF_2017.metaphlan_bugs_list.milk()
```

---

 BritoIL\_2016

*Data from the BritoIL\_2016 study*


---

**Description**

Data from the BritoIL\_2016 study

**Datasets**

**BritoIL\_2016.genefamilies\_relab.oralcavity:** An ExpressionSet with 140 samples and 1,825,268 features specific to the oralcavity body site

**BritoIL\_2016.genefamilies\_relab.stool:** An ExpressionSet with 172 samples and 1,825,268 features specific to the stool body site

**BritoIL\_2016.marker\_abundance.oralcavity:** An ExpressionSet with 140 samples and 162,905 features specific to the oralcavity body site

**BritoIL\_2016.marker\_abundance.stool:** An ExpressionSet with 172 samples and 162,905 features specific to the stool body site

**BritoIL\_2016.marker\_presence.oralcavity:** An ExpressionSet with 140 samples and 156,452 features specific to the oralcavity body site

**BritoIL\_2016.marker\_presence.stool:** An ExpressionSet with 172 samples and 156,452 features specific to the stool body site

**BritoIL\_2016.metaphlan\_bugs\_list.oralcavity:** An ExpressionSet with 140 samples and 1,864 features specific to the oralcavity body site

**BritoIL\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 172 samples and 1,864 features specific to the stool body site

**BritoIL\_2016.pathabundance\_relab.oralcavity:** An ExpressionSet with 140 samples and 22,539 features specific to the oralcavity body site

**BritoIL\_2016.pathabundance\_relab.stool:** An ExpressionSet with 172 samples and 22,539 features specific to the stool body site

**BritoIL\_2016.pathcoverage.oralcavity:** An ExpressionSet with 140 samples and 22,539 features specific to the oralcavity body site

**BritoIL\_2016.pathcoverage.stool:** An ExpressionSet with 172 samples and 22,539 features specific to the stool body site

**Source**

**Title:** Mobile genes in the human microbiome are structured from global to individual scales.

**Author:** Brito IL, Yilmaz S, Huang K, Xu L, Jupiter SD, Jenkins AP, Naisilisili W, Tamminen M, Smillie CS, Wortman JR, Birren BW, Xavier RJ, Blainey PC, Singh AK, Gevers D, Alm EJ

**Lab:** [1] Department of Biological Engineering, Massachusetts Institute of Technology, Cambridge, MA., [2] Broad Institute of MIT and Harvard, Cambridge, MA., [3] Sandia National Laboratories, Livermore, CA., [4] Wildlife Conservation Society, Suva, Fiji., [5] Edith Cowan University, Western Australia., [6] University of Helsinki, Helsinki, Finland., [7] Massachusetts General Hospital, Boston, MA., [8] Center for Microbiome, Informatics and Therapeutics, Massachusetts Institute of Technology, Cambridge, MA.

**PMID:** 27409808

**Examples**

```
BrITOIL_2016.metaphlan_bugs_list.oralcavity()
```

---

Castro-NallarE\_2015     *Data from the Castro-NallarE\_2015 study*

---

**Description**

Data from the Castro-NallarE\_2015 study

**Datasets**

**Castro-NallarE\_2015.genefamilies\_relab.oralcavity:** An ExpressionSet with 32 samples and 588,014 features specific to the oralcavity body site

**Castro-NallarE\_2015.marker\_abundance.oralcavity:** An ExpressionSet with 32 samples and 51,679 features specific to the oralcavity body site

**Castro-NallarE\_2015.marker\_presence.oralcavity:** An ExpressionSet with 32 samples and 49,093 features specific to the oralcavity body site

**Castro-NallarE\_2015.metaphlan\_bugs\_list.oralcavity:** An ExpressionSet with 32 samples and 755 features specific to the oralcavity body site

**Castro-NallarE\_2015.pathabundance\_relab.oralcavity:** An ExpressionSet with 32 samples and 9,237 features specific to the oralcavity body site

**Castro-NallarE\_2015.pathcoverage.oralcavity:** An ExpressionSet with 32 samples and 9,237 features specific to the oralcavity body site

### Exploratory Data Analysis

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

### Source

**Title:** Composition, taxonomy and functional diversity of the oropharynx microbiome in individuals with schizophrenia and controls.

**Author:** Castro-Nallar E, Bendall ML, Pérez-Losada M, Sabuncyan S, Severance EG, Dickerson FB, Schroeder JR, Yolken RH, Crandall KA

**Lab:** Computational Biology Institute, George Washington University , Ashburn, VA , USA ; Center for Bioinformatics and Integrative Biology, Universidad Andres Bello, Facultad de Ciencias Biologicas , Santiago , Chile.

**PMID:** 26336637

### Examples

```
`Castro-NallarE_2015.metaphlan_bugs_list.oralcavity`()
```

---

Castro\_NallarE\_2015     *Data from the Castro\_NallarE\_2015 study*

---

### Description

Data from the Castro\_NallarE\_2015 study

### Datasets

**Castro\_NallarE\_2015.genefamilies\_relab.oralcavity:** An ExpressionSet with 32 samples and 588,014 features specific to the oralcavity body site

**Castro\_NallarE\_2015.marker\_abundance.oralcavity:** An ExpressionSet with 32 samples and 51,679 features specific to the oralcavity body site

**Castro\_NallarE\_2015.marker\_presence.oralcavity:** An ExpressionSet with 32 samples and 49,093 features specific to the oralcavity body site

**Castro\_NallarE\_2015.metaphlan\_bugs\_list.oralcavity:** An ExpressionSet with 32 samples and 755 features specific to the oralcavity body site

**Castro\_NallarE\_2015.pathabundance\_relab.oralcavity:** An ExpressionSet with 32 samples and 9,237 features specific to the oralcavity body site

**Castro\_NallarE\_2015.pathcoverage.oralcavity:** An ExpressionSet with 32 samples and 9,237 features specific to the oralcavity body site

**Source**

**Title:** Composition, taxonomy and functional diversity of the oropharynx microbiome in individuals with schizophrenia and controls.

**Author:** Castro-Nallar E, Bendall ML, Pérez-Losada M, Sabuncyan S, Severance EG, Dickerson FB, Schroeder JR, Yolken RH, Crandall KA

**Lab:** [1] Computational Biology Institute, George Washington University , Ashburn, VA , USA ; Center for Bioinformatics and Integrative Biology, Universidad Andres Bello, Facultad de Ciencias Biologicas , Santiago , Chile., [2] Computational Biology Institute, George Washington University , Ashburn, VA , USA., [3] Computational Biology Institute, George Washington University , Ashburn, VA , USA ; CIBIO-InBIO, Centro de Investigacao em Biodiversidade e Recursos Geneticos, Universidade do Porto , Vairao , USA ; Division of Emergency Medicine, Children's National Medical Center , Washington, D.C. , USA., [4] Stanley Neurovirology Laboratory, Johns Hopkins School of Medicine , Baltimore, MD , USA., [5] Sheppard Pratt Hospital , Baltimore, MD , USA., [6] Schroeder Statistical Consulting LLC , Ellicott City, MD , USA.

**PMID:** 26336637

**Examples**

Castro\_NallarE\_2015.metaphlan\_bugs\_list.oralcavity()

---

ChngKR\_2016

*Data from the ChngKR\_2016 study*

---

**Description**

Data from the ChngKR\_2016 study

**Datasets**

**ChngKR\_2016.genefamilies\_relab.skin:** An ExpressionSet with 78 samples and 823,859 features specific to the skin body site

**ChngKR\_2016.marker\_abundance.skin:** An ExpressionSet with 78 samples and 89,597 features specific to the skin body site

**ChngKR\_2016.marker\_presence.skin:** An ExpressionSet with 78 samples and 85,656 features specific to the skin body site

**ChngKR\_2016.metaphlan\_bugs\_list.skin:** An ExpressionSet with 78 samples and 1,219 features specific to the skin body site

**ChngKR\_2016.pathabundance\_relab.skin:** An ExpressionSet with 78 samples and 10,995 features specific to the skin body site

**ChngKR\_2016.pathcoverage.skin:** An ExpressionSet with 78 samples and 10,995 features specific to the skin body site

## Source

**Title:** Whole metagenome profiling reveals skin microbiome-dependent susceptibility to atopic dermatitis flare.

**Author:** Chng KR, Tay AS, Li C, Ng AH, Wang J, Suri BK, Matta SA, McGovern N, Janela B, Wong XF, Sio YY, Au BV, Wilm A, De Sessions PF, Lim TC, Tang MB, Ginhoux F, Connolly JE, Lane EB, Chew FT, Common JE, Nagarajan N

**Lab:** [1] Genome Institute of Singapore, Singapore 138672, Singapore., [2] Institute of Medical Biology, Singapore 138648, Singapore., [3] Institute of Molecular and Cell Biology, Singapore 138673, Singapore., [4] Department of Neurology, The First Affiliated Hospital of Zhengzhou University, Zhengzhou, Henan 450001, China., [5] Institute of Biomedical Studies, Baylor University, Waco, Texas 76798, USA., [6] Department of Biological Sciences, National University of Singapore, Singapore 117543., [7] Singapore Immunology Network, Singapore 138648, Singapore., [8] Division of Plastic, Reconstructive & Aesthetic Surgery, National University Health System, Singapore 119074, Singapore., [9] National Skin Centre, Singapore 308205, Singapore., [10] Department of Microbiology and Immunology, National University of Singapore, Singapore 117545, Singapore.

**PMID:** 27562258

## Examples

```
ChngKR_2016.metaphlan_bugs_list.skin()
```

---

|                  |                                |
|------------------|--------------------------------|
| cmdValidVersions | <i>Get valid data versions</i> |
|------------------|--------------------------------|

---

## Description

Get valid data versions

## Usage

```
cmdValidVersions()
```

## Value

An integer vector of data versions, in the format YYYYMMDD, read from inst/extdata/versions.txt.

## Examples

```
cmdValidVersions()  
max(cmdValidVersions()) #latest version  
stopifnot(is(cmdValidVersions(), "integer"))
```



---

|                   |   |
|-------------------|---|
| combined_metadata | <i>Combined metadata of all studies in curatedMetagenomicData</i> |
|-------------------|---|

---

### Description

The combined sample level metadata of all studies in curatedMetagenomicData.

### Usage

combined\_metadata

### Format

A data.frame with 12444 rows and 87 variables:

NA NA

**sampleID** Sample identifier.

**subjectID** Subject identifier.

**body\_site** Bodysite of acquisition.

**antibiotics\_current\_use** Subject is currently taking antibiotics.

**study\_condition** The main disease or condition under study; control for controls.

**disease** Semicolon-delimited vector of conditions; Use healthy only if subject is known to be healthy; CRC=colorectal cancer.

**age** Subject age (years).

**infant\_age** Infant age (days); should be used for infants < 2 years old.

**age\_category** Age category: newborn < 1 year; 1 <= child < 12; 12 <= schoolage < 19; 19 <= adult <= 65; senior > 65.

**gender** Subject gender.

**country** Country of acquisition using ISO3 code from <http://www.fao.org/countryprofiles/iso3list/en/>.

**non\_westernized** Subject belongs to a non-westernized community.

**sequencing\_platform** This will be modified as new sequencing platforms are added to the database.

**DNA\_extraction\_kit** DNA extraction kit.

**PMID** Identifier of the main publication in PubMed.

**number\_reads** Number of final reads - calculated from raw data.

**number\_bases** Total number of bases sequenced in the sample.

**minimum\_read\_length** Minimum read length - calculated from raw data.

**median\_read\_length** Median read length - calculated from raw data.

**pregnant** Pregnancy of the subject (men: no).

**lactating** Lactating subjects (men: no).

**NCBI\_accession** Semicolon-separated vector of NCBI accessions.

**BMI** Body mass index (kg/m2).

**antibiotics\_family** Family of antibiotics currently used; Semicolon-separated.

**momeducat** Years of education of the mother of the subject.

**alcohol** Subject is reported as a drinker.

**flg-genotype** Any term for filaggrin-protein genotype.

**disease\_subtype** Disease subtype; CD=Chrohn's Disease.

**hdl** Curators must use mg/l.

**triglycerides** Curators must use mg/l.

**hba1c** Curators must use %.

**ldl** Curators must use mg/l.

**tnm** TNM classification for colorectal-cancer.

**body\_subsite** Subsite of body site of acquisition.

**visit\_number** Visit number for studies with repeated visits.

**days\_from\_first\_collection** Used for time series studies.

**c-peptide** Curators must use ng/ml.

**family** A number identifying the family subjects belong; not corrected for meta-analyses.

**cholesterol** Curators must use mg/dl.

**glucose** Curators must use mg/dl.

**mumps** Subject has been through mumps in life.

**adiponectin** Curators must use mg/l.

**insulin(cat)** Insulin intake as a boolean.

**fgf-19** Curators must use pg/ml.

**hsgrp** High-sensitivity C-reactive protein test result.

**leptin** Curators must use micrograms/l.

**glutamate\_decarboxylase\_2\_antibody** Glutamic acid decarboxylase (GAD65) antibody assay.

**creatinine** Curators must use micro-mol/l.

**il-1** Curators must use pg/ml.

**cd163** Curators must use ng/ml.

**glp-1** Curators must use pmol/l.

**hitchip\_probe\_class** High/Low species content onthe HIT-chip probe.

**hitchip\_probe\_number** HIT-chip probe score.

**protein\_intake** Indication about the protein intake in the Mongolians diet.

**days\_after\_onset** Days from the onset of the disease.

**stec\_count** Amount of STEC colonies detected.

**shigatoxin\_2\_elisa** Enzyme-linked immunosorbent assay for Shiga-toxigenic E.coli.

**stool\_texture** Texture of the stool at sampling time.

**ferm\_milk\_prod\_consumer** Dfmp means yes (defined milk product).

**mgs\_richness** Metagenomic species richness.

**location** Free-form additional location information.

**dyastolic\_p** Measured in mm/Hg.

**systolic\_p** Measured in mm/Hg.

**prothrombin\_time** Prothrombin time in seconds.

**creatine** Curators must use micro-mol/l.

**inr** International normalized ratio.

**ctp** Cytidine triphosphate level.

**albumine** Albumine level; curators must use g/l.

**bilubirin** Bilubirin; curators must use mg/dl.

**smoker** Currently a smoker at sampling.

**ever\_smoker** Ever been a smoker.

**birth\_control\_pil** Use of the birth-control-pils at the sampling time (men: no).

**hla\_drb12** Hla\_drb12 allele.

**hla\_dqa12** Hla\_dqa12 allele.

**hla\_dqa11** Hla\_dqa11 allele.

**hla\_drb11** Hla\_drb11 allele.

**start\_solidfood** First day of solid food introduction (newborns).

**ajcc** AJCC staging for colorectal-cancer.

**fobt** Fecal occult blood test.

NA NA

NA NA

NA NA

NA NA

NA NA

NA NA

NA NA

NA NA

### Source

See dataset specific help functions for source information

---

curatedMetagenomicData

*Curated Metagenomic Data of the Human Microbiome*

---

### Description

The curatedMetagenomicData package provides taxonomic, functional, and gene marker abundance for samples collected from different bodysites. It provides data from approximately 3000 human microbiome samples that has been highly processed, refined, and curated such that analysis that might otherwise require a computing cluster can be done on an ordinary laptop.

### Usage

```
curatedMetagenomicData(x = "*", dryrun = TRUE, counts = FALSE,
  bugs.as.phyloseq = FALSE, x.is.glob = TRUE)
```

**Arguments**

|                               |   |
|-------------------------------|---|
| <code>x</code>                | A character vector of dataset names, regexes, or globs, that will be matched to available datasets. If <code>x.is.glob</code> is TRUE (default), wildcards such as "*" and "?" are supported (see <code>?glob2rx</code> ), otherwise, regexes are supported (see <code>?grep</code> ) |
| <code>dryrun</code>           | = TRUE Only return the names of datasets to be downloaded, not the datasets themselves. If FALSE, return the datasets rather than the names.  |
| <code>counts</code>           | = FALSE If TRUE, relative abundances will be multiplied by read depth, then rounded to the nearest integer.   |
| <code>bugs.as.phyloseq</code> | = FALSE If TRUE, tables of taxonomic abundance (metaphlan datasets) will be converted to phyloseq objects for use with the phyloseq package.  |
| <code>x.is.glob</code>        | = TRUE Set to FALSE to treat <code>x</code> as a regular expression. If TRUE, 'x' is provided to <code>glob2rx</code> first to generate a regular expression.   |

**Value**

A list of ExpressionSet and/or phyloseq objects

**Examples**

```
curatedMetagenomicData()
curatedMetagenomicData("ZellerG*")
curatedMetagenomicData("ZellerG.+marker", x.is.glob=FALSE)
curatedMetagenomicData("ZellerG_2014.metaphlan_bugs_list.stool", dryrun=FALSE)
curatedMetagenomicData("ZellerG_2014.metaphlan_bugs_list.stool",
  counts=TRUE, dryrun=FALSE, bugs.as.phyloseq=TRUE)
```

---

ExpressionSet2MRExperiment

*Convert an ExpressionSet object to a metagenomeSeq::MRExperiment-class object*

---

**Description**

Convert an ExpressionSet object to a metagenomeSeq::MRExperiment-class object

**Usage**

```
ExpressionSet2MRExperiment(eset, simplify = TRUE)
```

**Arguments**

|                       |   |
|-----------------------|---|
| <code>eset</code>     | An eset object  |
| <code>simplify</code> | if TRUE the most detailed clade name is used, instead of the original metaPhlAn2 names which contain the full taxonomy. |

**Value**

A metagenomeSeq::MRExperiment-class object

**Examples**

```
eset <- LomanNJ_2013.metaphlan_bugs_list.stool()
ExpressionSet2MRExperiment(eset)
```

---

ExpressionSet2phyloseq

*Convert an ExpressionSet object to a phyloseq object*

---

**Description**

Convert an ExpressionSet object to a phyloseq object

**Usage**

```
ExpressionSet2phyloseq(eset, simplify = TRUE, relab = TRUE,
  phylogenetictree = FALSE)
```

**Arguments**

|                  |   |
|------------------|---|
| eset             | An eset object  |
| simplify         | if TRUE, only the most detailed level of the taxonomy is kept in the names, for example species or strain. Default is TRUE because the full taxonomy is provided by the tax_table of the phyloseq object.   |
| relab            | if FALSE, values are multiplied by read depth to approximate counts, if TRUE (default) values kept as relative abundances between 0 and 100%.   |
| phylogenetictree | if TRUE, a phylogenetic tree will be attached to the phyloseq object. Note, this will remove all clades not associated with a genome, e.g. kingdoms, phyla, etc. It will remove any feature that can't be matched to the Newick tree included in inst/extdata; see ?getMetaphlanTree. |

**Value**

A phyloseq object

**Examples**

```
eset <- LomanNJ_2013.metaphlan_bugs_list.stool()
ExpressionSet2phyloseq(eset)
ExpressionSet2phyloseq(eset, relab=FALSE)

## Using a phylogenetic tree
library(phyloseq)
(pseq <- ExpressionSet2phyloseq(eset, phylogenetictree = TRUE))
unwt <- UniFrac(pseq, weighted=FALSE, normalized=TRUE, parallel=FALSE, fast=TRUE)
plot(hclust(unwt))
wt <- UniFrac(pseq, weighted=TRUE, normalized=FALSE, parallel=FALSE, fast=TRUE)
plot(hclust(wt))
```

FengQ\_2015

*Data from the FengQ\_2015 study***Description**

Data from the FengQ\_2015 study

**Datasets**

**FengQ\_2015.genefamilies\_relab.stool:** An ExpressionSet with 154 samples and 1,627,981 features specific to the stool body site

**FengQ\_2015.marker\_abundance.stool:** An ExpressionSet with 154 samples and 140,519 features specific to the stool body site

**FengQ\_2015.marker\_presence.stool:** An ExpressionSet with 154 samples and 130,216 features specific to the stool body site

**FengQ\_2015.metaphlan\_bugs\_list.stool:** An ExpressionSet with 154 samples and 1,547 features specific to the stool body site

**FengQ\_2015.pathabundance\_relab.stool:** An ExpressionSet with 154 samples and 16,866 features specific to the stool body site

**FengQ\_2015.pathcoverage.stool:** An ExpressionSet with 154 samples and 16,866 features specific to the stool body site

**Source**

**Title:** Gut microbiome development along the colorectal adenoma-carcinoma sequence.

**Author:** Feng Q, Liang S, Jia H, Stadlmayr A, Tang L, Lan Z, Zhang D, Xia H, Xu X, Jie Z, Su L, Li X, Li X, Li J, Xiao L, Huber-Schönauer U, Niederseer D, Xu X, Al-Aama JY, Yang H, Wang J, Kristiansen K, Arumugam M, Tilg H, Datz C, Wang J

**Lab:** [1] 1] BGI-Shenzhen, Shenzhen 518083, China [2] Department of Biology, University of Copenhagen, Ole Maaloes Vej 5, 2200 Copenhagen, Denmark., [2] 1] BGI-Shenzhen, Shenzhen 518083, China [2] School of Bioscience and Biotechnology, South China University of Technology, Guangzhou 510006, China., [3] BGI-Shenzhen, Shenzhen 518083, China., [4] Department of Internal Medicine, Hospital Oberndorf, Teaching Hospital of the Paracelsus Private University of Salzburg, Paracelsusstrasse 37, 5110 Oberndorf, Austria., [5] 1] BGI-Shenzhen, Shenzhen 518083, China [2] School of Bioscience and Biotechnology, South China University of Technology, Guangzhou 510006, China [3] BGI Hong Kong Research Institute, Hong Kong, China., [6] 1] BGI-Shenzhen, Shenzhen 518083, China [2] Princess Al Jawhara Center of Excellence in the Research of Hereditary Disorders, King Abdulaziz University, Jeddah 21589, Saudi Arabia., [7] 1] BGI-Shenzhen, Shenzhen 518083, China [2] The Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, 2200 Copenhagen, Denmark., [8] First Department of Internal Medicine, Medical University Innsbruck, Anichstrasse 35, 6020 Innsbruck, Austria., [9] 1] BGI-Shenzhen, Shenzhen 518083, China [2] Department of Biology, University of Copenhagen, Ole Maaloes Vej 5, 2200 Copenhagen, Denmark [3] Princess Al Jawhara Center of Excellence in the Research of Hereditary Disorders, King Abdulaziz University, Jeddah 21589, Saudi Arabia [4] Macau University of Science and Technology, Avenida Wai long, Taipa, Macau 999078, China.

**PMID:** 25758642

**Examples**

```
FengQ_2015.metaphlan_bugs_list.stool()
```

---

|                  |   |
|------------------|---|
| getMetaphlanTree | <i>Title Return a phylogenetic tree for MetaPhlAn2 bugs</i> |
|------------------|---|

---

**Description**

Title Return a phylogenetic tree for MetaPhlAn2 bugs

**Usage**

```
getMetaphlanTree(removeGCF = TRUE, simplify = TRUE)
```

**Arguments**

|           |   |
|-----------|---|
| removeGCF | remove "IGCF_nnnnnnnnn" from the end of tip labels. Default is TRUE.  |
| simplify  | if TRUE, only the most detailed level of the taxonomy is kept in the names, for example species or strain. Default is TRUE. |

**Details**

The phylogenetic tree was built with PhyloPhlAn, using all the genomes from MetaPhlAn2. Clades that had more than one leaf per species were cleaned and a new tree generated with these selected genomes. Labels are in the form: "taxonomy|genome\_ID". The Newick file of the tree is stored in the package as inst/extdata/metaphlan2\_selected.tree.reroot.nwk.bz2. Thanks to Francesco Asnicar <f.asnicar@unitn.it> for generating this tree.

**Value**

a phylogenetic tree of class ape::phylo

**Examples**

```
tree <- getMetaphlanTree()
summary(tree)
getMetaphlanTree(simplify = FALSE)
getMetaphlanTree(simplify = FALSE, removeGCF = FALSE)
```

---

HanniganGD\_2017

*Data from the HanniganGD\_2017 study*

---

## Description

Data from the HanniganGD\_2017 study

## Datasets

**HanniganGD\_2017.genefamilies\_relab.stool:** An ExpressionSet with 82 samples and 709,894 features specific to the stool body site

**HanniganGD\_2017.marker\_abundance.stool:** An ExpressionSet with 82 samples and 57,511 features specific to the stool body site

**HanniganGD\_2017.marker\_presence.stool:** An ExpressionSet with 82 samples and 52,996 features specific to the stool body site

**HanniganGD\_2017.metaphlan\_bugs\_list.stool:** An ExpressionSet with 82 samples and 716 features specific to the stool body site

**HanniganGD\_2017.pathabundance\_relab.stool:** An ExpressionSet with 82 samples and 8,500 features specific to the stool body site

**HanniganGD\_2017.pathcoverage.stool:** An ExpressionSet with 82 samples and 8,500 features specific to the stool body site

## Source

**Title:** NA

**Author:** NA

**Lab:** NA

**PMID:** NA

## Examples

`HanniganGD_2017.metaphlan_bugs_list.stool()`



---

Heitz-BuschartA\_2016 *Data from the Heitz-BuschartA\_2016 study*

---

## Description

Data from the Heitz-BuschartA\_2016 study

## Datasets

**Heitz-BuschartA\_2016.genefamilies\_relab.stool:** An ExpressionSet with 53 samples and 1,110,454 features specific to the stool body site

**Heitz-BuschartA\_2016.marker\_abundance.stool:** An ExpressionSet with 53 samples and 80,864 features specific to the stool body site

**Heitz-BuschartA\_2016.marker\_presence.stool:** An ExpressionSet with 53 samples and 77,488 features specific to the stool body site

**Heitz-BuschartA\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 53 samples and 1,011 features specific to the stool body site

**Heitz-BuschartA\_2016.pathabundance\_relab.stool:** An ExpressionSet with 53 samples and 10,281 features specific to the stool body site

**Heitz-BuschartA\_2016.pathcoverage.stool:** An ExpressionSet with 53 samples and 10,281 features specific to the stool body site

## Exploratory Data Analysis

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

## Source

**Title:** Integrated multi-omics of the human gut microbiome in a case study of familial type 1 diabetes.

**Author:** Heintz-Buschart A, May P, Laczny CC, Lebrun LA, Bellora C, Krishna A, Wampach L, Schneider JG, Hogan A, de Beaufort C, Wilmes P

**Lab:** Luxembourg Centre for Systems Biomedicine, 7 avenue des Hauts-Fourneaux, 4362 Esch-sur-Alzette, Luxembourg.

**PMID:** 27723761

## Examples

```
`Heitz-BuschartA_2016.metaphlan_bugs_list.stool`()
```

---

Heitz\_BuschartA\_2016 *Data from the Heitz\_BuschartA\_2016 study*

---

## Description

Data from the Heitz\_BuschartA\_2016 study

## Datasets

**Heitz\_BuschartA\_2016.genefamilies\_relab.stool:** An ExpressionSet with 53 samples and 1,110,454 features specific to the stool body site

**Heitz\_BuschartA\_2016.marker\_abundance.stool:** An ExpressionSet with 53 samples and 80,864 features specific to the stool body site

**Heitz\_BuschartA\_2016.marker\_presence.stool:** An ExpressionSet with 53 samples and 77,488 features specific to the stool body site

**Heitz\_BuschartA\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 53 samples and 1,011 features specific to the stool body site

**Heitz\_BuschartA\_2016.pathabundance\_relab.stool:** An ExpressionSet with 53 samples and 10,281 features specific to the stool body site

**Heitz\_BuschartA\_2016.pathcoverage.stool:** An ExpressionSet with 53 samples and 10,281 features specific to the stool body site

## Source

**Title:** Integrated multi-omics of the human gut microbiome in a case study of familial type 1 diabetes.

**Author:** Heintz-Buschart A, May P, Laczny CC, Lebrun LA, Bellora C, Krishna A, Wampach L, Schneider JG, Hogan A, de Beaufort C, Wilmes P

**Lab:** [1] Luxembourg Centre for Systems Biomedicine, 7 avenue des Hauts-Fourneaux, 4362 Esch-sur-Alzette, Luxembourg., [2] Integrated BioBank of Luxembourg, 6 rue Nicolas Ernest Barble, 1210 Luxembourg, Luxembourg., [3] Department of Internal Medicine II, Saarland University Medical Center, 66421 Homburg, Germany., [4] Centre Hospitalier Emile Mayrisch, Rue Emile Mayrisch, 4240 Esch-sur-Alzette, Luxembourg., [5] Clinique Pédiatrique - Centre Hospitalier de Luxembourg, 4 rue Nicolas Ernest Barble, 1210 Luxembourg.

**PMID:** 27723761

## Examples

Heitz\_BuschartA\_2016.metaphlan\_bugs\_list.stool()

---

HMP\_2012

*Data from the HMP\_2012 study*

---

## Description

Data from the HMP\_2012 study

## Datasets

**HMP\_2012.genefamilies\_relab.nasalcavity:** An ExpressionSet with 91 samples and 1,964,480 features specific to the nasalcavity body site

**HMP\_2012.genefamilies\_relab.oralcavity:** An ExpressionSet with 479 samples and 1,964,480 features specific to the oralcavity body site

**HMP\_2012.genefamilies\_relab.skin:** An ExpressionSet with 27 samples and 1,964,480 features specific to the skin body site

**HMP\_2012.genefamilies\_relab.stool:** An ExpressionSet with 147 samples and 1,964,480 features specific to the stool body site

**HMP\_2012.genefamilies\_relab.vagina:** An ExpressionSet with 5 samples and 1,964,480 features specific to the vagina body site

**HMP\_2012.marker\_abundance.nasalcavity:** An ExpressionSet with 91 samples and 162,107 features specific to the nasalcavity body site

**HMP\_2012.marker\_abundance.oralcavity:** An ExpressionSet with 479 samples and 162,107 features specific to the oralcavity body site

**HMP\_2012.marker\_abundance.skin:** An ExpressionSet with 27 samples and 162,107 features specific to the skin body site

**HMP\_2012.marker\_abundance.stool:** An ExpressionSet with 147 samples and 162,107 features specific to the stool body site

**HMP\_2012.marker\_abundance.vagina:** An ExpressionSet with 5 samples and 162,107 features specific to the vagina body site

**HMP\_2012.marker\_presence.nasalcavity:** An ExpressionSet with 91 samples and 158,645 features specific to the nasalcavity body site

**HMP\_2012.marker\_presence.oralcavity:** An ExpressionSet with 479 samples and 158,645 features specific to the oralcavity body site

**HMP\_2012.marker\_presence.skin:** An ExpressionSet with 27 samples and 158,645 features specific to the skin body site

**HMP\_2012.marker\_presence.stool:** An ExpressionSet with 147 samples and 158,645 features specific to the stool body site

**HMP\_2012.marker\_presence.vagina:** An ExpressionSet with 5 samples and 158,645 features specific to the vagina body site

**HMP\_2012.metaphlan\_bugs\_list.nasalcavity:** An ExpressionSet with 91 samples and 1,988 features specific to the nasalcavity body site

**HMP\_2012.metaphlan\_bugs\_list.oralcavity:** An ExpressionSet with 479 samples and 1,988 features specific to the oralcavity body site

**HMP\_2012.metaphlan\_bugs\_list.skin:** An ExpressionSet with 27 samples and 1,988 features specific to the skin body site

**HMP\_2012.metaphlan\_bugs\_list.stool:** An ExpressionSet with 147 samples and 1,988 features specific to the stool body site

**HMP\_2012.metaphlan\_bugs\_list.vagina:** An ExpressionSet with 5 samples and 1,988 features specific to the vagina body site

**HMP\_2012.pathabundance\_relab.nasalcavity:** An ExpressionSet with 91 samples and 23,271 features specific to the nasalcavity body site

**HMP\_2012.pathabundance\_relab.oralcavity:** An ExpressionSet with 479 samples and 23,271 features specific to the oralcavity body site

**HMP\_2012.pathabundance\_relab.skin:** An ExpressionSet with 27 samples and 23,271 features specific to the skin body site

**HMP\_2012.pathabundance\_relab.stool:** An ExpressionSet with 147 samples and 23,271 features specific to the stool body site

**HMP\_2012.pathabundance\_relab.vagina:** An ExpressionSet with 5 samples and 23,271 features specific to the vagina body site

**HMP\_2012.pathcoverage.nasalcavity:** An ExpressionSet with 91 samples and 23,271 features specific to the nasalcavity body site

**HMP\_2012.pathcoverage.oralcavity:** An ExpressionSet with 479 samples and 23,271 features specific to the oralcavity body site

**HMP\_2012.pathcoverage.skin:** An ExpressionSet with 27 samples and 23,271 features specific to the skin body site

**HMP\_2012.pathcoverage.stool:** An ExpressionSet with 147 samples and 23,271 features specific to the stool body site

**HMP\_2012.pathcoverage.vagina:** An ExpressionSet with 5 samples and 23,271 features specific to the vagina body site

## Source

**Title:** Structure, function and diversity of the healthy human microbiome.

**Author:** Huttenhower C, Gevers D, Knight R, Abubucker S, Badger JH, Chinwalla AT, Creasy HH, Earl AM, FitzGerald MG, Fulton RS, Giglio MG, Hallsworth-Pepin K, Lobos EA, Madupu R, Magrini V, Martin JC, Mitreva M, Muzny DM, Sodergren EJ, Versalovic J, Wollam AM, Worley KC, Wortman JR, Young SK, Zeng Q, Aagaard KM, Abolude OO, Allen-Vercoe E, Alm EJ, Alvarado L, Andersen GL, Anderson S, Appelbaum E, Arachchi HM, Armitage G, Arze CA, Ayvaz T, Baker CC, Begg L, Belachew T, Bhonagiri V, Bihan M, Blaser MJ, Bloom T, Bonazzi V, Brooks J, Buck GA, Buhay CJ, Busam DA, Campbell JL, Canon SR, Cantarel BL, Chain PS,

Chen IM, Chen L, Chhibba S, Chu K, Ciulla DM, Clemente JC, Clifton SW, Conlan S, Crabtree J, Cutting MA, Davidovics NJ, Davis CC, DeSantis TZ, Deal C, Delehaunty KD, Dewhirst FE, Deych E, Ding Y, Dooling DJ, Dugan SP, Dunne WM, Durkin A, Edgar RC, Erlich RL, Farmer CN, Farrell RM, Faust K, Feldgarden M, Felix VM, Fisher S, Fodor AA, Forney LJ, Foster L, Di Francesco V, Friedman J, Friedrich DC, Fronick CC, Fulton LL, Gao H, Garcia N, Giannoukos G, Giblin C, Giovanni MY, Goldberg JM, Goll J, Gonzalez A, Griggs A, Gujja S, Haake SK, Haas BJ, Hamilton HA, Harris EL, Hepburn TA, Herter B, Hoffmann DE, Holder ME, Howarth C, Huang KH, Huse SM, Izard J, Jansson JK, Jiang H, Jordan C, Joshi V, Katancik JA, Keitel WA, Kelley ST, Kells C, King NB, Knights D, Kong HH, Koren O, Koren S, Kota KC, Kovar CL, Kyrpides NC, La Rosa PS, Lee SL, Lemon KP, Lennon N, Lewis CM, Lewis L, Ley RE, Li K, Liolios K, Liu B, Liu Y, Lo CC, Lozupone CA, Lunsford R, Madden T, Mahurkar AA, Mannon PJ, Mardis ER, Markowitz VM, Mavromatis K, McCorrison JM, McDonald D, McEwen J, McGuire AL, McInnes P, Mehta T, Mihindukulasuriya KA, Miller JR, Minx PJ, Newsham I, Nusbaum C, O’Laughlin M, Orvis J, Pagani I, Palaniappan K, Patel SM, Pearson M, Peterson J, Podar M, Pohl C, Pollard KS, Pop M, Priest ME, Proctor LM, Qin X, Raes J, Ravel J, Reid JG, Rho M, Rhodes R, Riehle KP, Rivera MC, Rodriguez-Mueller B, Rogers YH, Ross MC, Russ C, Sanka RK, Sankar P, Sathirapongsasuti J, Schloss JA, Schloss PD, Schmidt TM, Scholz M, Schriml L, Schubert AM, Segata N, Segre JA, Shannon WD, Sharp RR, Sharpton TJ, Shenoy N, Sheth NU, Simone GA, Singh I, Smillie CS, Sobel JD, Sommer DD, Spicer P, Sutton GG, Sykes SM, Tabbaa DG, Thiagarajan M, Tomlinson CM, Torralba M, Treangen TJ, Truty RM, Vishnivetskaya TA, Walker J, Wang L, Wang Z, Ward DV, Warren W, Watson MA, Wellington C, Wetterstrand KA, White JR, Wilczek-Boney K, Wu Y, Wylie KM, Wylie T, Yandava C, Ye L, Ye Y, Yooseph S, Youmans BP, Zhang L, Zhou Y, Zhu Y, Zoloth L, Zucker JD, Birren BW, Gibbs RA, Highlander SK, Methé BA, Nelson KE, Petrosino JF, Weinstock GM, Wilson RK, White O

**Lab:** NA

**PMID:** 22699609

### Examples

```
HMP_2012.metaphlan_bugs_list.nasalcavity()
```

---

KarlssonFH\_2013

*Data from the KarlssonFH\_2013 study*

---

### Description

Data from the KarlssonFH\_2013 study

### Datasets

**KarlssonFH\_2013.genefamilies\_relab.stool:** An ExpressionSet with 145 samples and 1,415,750 features specific to the stool body site

**KarlssonFH\_2013.marker\_abundance.stool:** An ExpressionSet with 145 samples and 101,166 features specific to the stool body site

**KarlssonFH\_2013.marker\_presence.stool:** An ExpressionSet with 145 samples and 95,324 features specific to the stool body site

**KarlssonFH\_2013.metaphlan\_bugs\_list.stool:** An ExpressionSet with 145 samples and 1,140 features specific to the stool body site

**KarlssonFH\_2013.pathabundance\_relab.stool:** An ExpressionSet with 145 samples and 13,392 features specific to the stool body site

**KarlssonFH\_2013.pathcoverage.stool:** An ExpressionSet with 145 samples and 13,392 features specific to the stool body site

### Source

**Title:** Gut metagenome in European women with normal, impaired and diabetic glucose control.

**Author:** Karlsson FH, Tremaroli V, Nookaew I, Bergström G, Behre CJ, Fagerberg B, Nielsen J, Bäckhed F

**Lab:** [1] Department of Chemical and Biological Engineering, Chalmers University of Technology, SE-412 96 Gothenburg, Sweden.

**PMID:** 23719380

### Examples

```
KarlssonFH_2013.metaphlan_bugs_list.stool()
```

---

LeChatelierE\_2013      *Data from the LeChatelierE\_2013 study*

---

### Description

Data from the LeChatelierE\_2013 study

### Datasets

**LeChatelierE\_2013.genefamilies\_relab.stool:** An ExpressionSet with 292 samples and 1,519,375 features specific to the stool body site

**LeChatelierE\_2013.marker\_abundance.stool:** An ExpressionSet with 292 samples and 130,620 features specific to the stool body site

**LeChatelierE\_2013.marker\_presence.stool:** An ExpressionSet with 292 samples and 117,257 features specific to the stool body site

**LeChatelierE\_2013.metaphlan\_bugs\_list.stool:** An ExpressionSet with 292 samples and 1,542 features specific to the stool body site

**LeChatelierE\_2013.pathabundance\_relab.stool:** An ExpressionSet with 292 samples and 13,504 features specific to the stool body site

**LeChatelierE\_2013.pathcoverage.stool:** An ExpressionSet with 292 samples and 13,504 features specific to the stool body site

**Source**

**Title:** Richness of human gut microbiome correlates with metabolic markers.

**Author:** Le Chatelier E, Nielsen T, Qin J, Prifti E, Hildebrand F, Falony G, Almeida M, Arumugam M, Batto JM, Kennedy S, Leonard P, Li J, Burgdorf K, Grarup N, Jørgensen T, Brandslund I, Nielsen HB, Juncker AS, Bertalan M, Levenez F, Pons N, Rasmussen S, Sunagawa S, Tap J, Tims S, Zoetendal EG, Brunak S, Clément K, Doré J, Kleerebezem M, Kristiansen K, Renault P, Sicheritz-Ponten T, de Vos WM, Zucker JD, Raes J, Hansen T, Bork P, Wang J, Ehrlich SD, Pedersen O, Guedon E, Delorme C, Layec S, Khaci G, van de Guchte M, Vandemeulebrouck G, Jamet A, Dervyn R, Sanchez N, Maguin E, Haimet F, Winogradski Y, Cultrone A, Leclerc M, Juste C, Blottière H, Pelletier E, LePaslier D, Artiguenave F, Bruls T, Weissenbach J, Turner K, Parkhill J, Antolin M, Manichanh C, Casellas F, Boruel N, Varela E, Torrejon A, Guarner F, Denariáz G, Derrien M, van Hylckama Vlieg JE, Veiga P, Oozeer R, Knol J, Rescigno M, Brechot C, M'Rini C, Mérieux A, Yamada T

**Lab:** [1] INRA, Institut National de la Recherche Agronomique, US1367 Metagenopolis, 78350 Jouy en Josas, France.

**PMID:** 23985870

**Examples**

LeChatelierE\_2013.metaphlan\_bugs\_list.stool()

---

LiJ\_2014

*Data from the LiJ\_2014 study*

---

**Description**

Data from the LiJ\_2014 study

**Datasets**

**LiJ\_2014.genefamilies\_relab.stool:** An ExpressionSet with 260 samples and 1,728,762 features specific to the stool body site

**LiJ\_2014.marker\_abundance.stool:** An ExpressionSet with 260 samples and 159,458 features specific to the stool body site

**LiJ\_2014.marker\_presence.stool:** An ExpressionSet with 260 samples and 144,690 features specific to the stool body site

**LiJ\_2014.metaphlan\_bugs\_list.stool:** An ExpressionSet with 260 samples and 1,613 features specific to the stool body site

**LiJ\_2014.pathabundance\_relab.stool:** An ExpressionSet with 260 samples and 17,391 features specific to the stool body site

**LiJ\_2014.pathcoverage.stool:** An ExpressionSet with 260 samples and 17,391 features specific to the stool body site

**Source**

**Title:** An integrated catalog of reference genes in the human gut microbiome.

**Author:** Li J, Jia H, Cai X, Zhong H, Feng Q, Sunagawa S, Arumugam M, Kultima JR, Prifti E, Nielsen T, Juncker AS, Manichanh C, Chen B, Zhang W, Levenez F, Wang J, Xu X, Xiao L, Liang S, Zhang D, Zhang Z, Chen W, Zhao H, Al-Aama JY, Edris S, Yang H, Wang J, Hansen T, Nielsen HB, Brunak S, Kristiansen K, Guarner F, Pedersen O, Doré J, Ehrlich SD, Bork P, Wang J, Pons N, Le Chatelier E, Batto JM, Kennedy S, Haimet F, Winogradski Y, Pelletier E, LePaslier D, Artiguenave F, Bruls T, Weissenbach J, Turner K, Parkhill J, Antolin M, Casellas F, Borrueal N, Varela E, Torrejon A, Denariáz G, Derrien M, van Hylckama Vlieg JE, Viega P, Oozeer R, Knoll J, Rescigno M, Brechot C, M'Rini C, Mérieux A, Yamada T, Tims S, Zoetendal EG, Kleerebezem M, de Vos WM, Cultrone A, Leclerc M, Juste C, Guedon E, Delorme C, Layec S, Khaci G, van de Guchte M, Vandemeulebrouck G, Jamet A, Dervyn R, Sanchez N, Blottière H, Maguin E, Renault P, Tap J, Mende DR

**Lab:** [1] 1] BGI-Shenzhen, Shenzhen, China. [2] BGI Hong Kong Research Institute, Hong Kong, China. [3] School of Bioscience and Biotechnology, South China University of Technology, Guangzhou, China. [4]., [2] 1] BGI-Shenzhen, Shenzhen, China. [2]., [3] 1] BGI-Shenzhen, Shenzhen, China. [2] Department of Biology, University of Copenhagen, Copenhagen, Denmark. [3]., [4] European Molecular Biology Laboratory, Heidelberg, Germany., [5] 1] BGI-Shenzhen, Shenzhen, China. [2] European Molecular Biology Laboratory, Heidelberg, Germany. [3] The Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark., [6] INRA, Institut National de la Recherche Agronomique, Metagenopolis, Jouy en Josas, France., [7] The Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark., [8] Center for Biological Sequence Analysis, Technical University of Denmark, Kongens Lyngby, Denmark., [9] Digestive System Research Unit, University Hospital Vall d'Hebron, Ciberehd, Barcelona, Spain., [10] BGI-Shenzhen, Shenzhen, China., [11] 1] Department of Genetic Medicine, Faculty of Medicine, King Abdulaziz University (KAU), Jeddah, Saudi Arabia. [2] Princess Al-Jawhara AlBrahim Centre of Excellence in Research of Hereditary Disorders (PACER-HD), Faculty of Medicine, KAU, Jeddah, Saudi Arabia., [12] 1] Princess Al-Jawhara AlBrahim Centre of Excellence in Research of Hereditary Disorders (PACER-HD), Faculty of Medicine, KAU, Jeddah, Saudi Arabia. [2] Department of Biological Sciences, Faculty of Science, King Abdulaziz University (KAU), Jeddah, Saudi Arabia., [13] 1] BGI-Shenzhen, Shenzhen, China. [2] Princess Al-Jawhara AlBrahim Centre of Excellence in Research of Hereditary Disorders (PACER-HD), Faculty of Medicine, KAU, Jeddah, Saudi Arabia. [3] James D. Watson Institute of Genome Science, Hangzhou, China., [14] 1] BGI-Shenzhen, Shenzhen, China. [2] James D. Watson Institute of Genome Science, Hangzhou, China., [15] Department of Biology, University of Copenhagen, Copenhagen, Denmark., [16] 1] INRA, Institut National de la Recherche Agronomique, Metagenopolis, Jouy en Josas, France. [2] INRA, Institut National de la Recherche Agronomique, Unite mixte de Recherche 14121 Microbiologie de l'Alimentation au Service de la Sante, Jouy en Josas, France., [17] 1] INRA, Institut National de la Recherche Agronomique, Metagenopolis, Jouy en Josas, France. [2] Centre for Host-Microbiome Interactions, Dental Institute Central Office, King's College London, Guy's Hospital, London Bridge, UK., [18] 1] European Molecular Biology Laboratory, Heidelberg, Germany. [2] Max Delbruck Centre for Molecular Medicine, Berlin, Germany., [19] 1] BGI-Shenzhen, Shenzhen, China. [2] Department of Biology, University of Copenhagen, Copenhagen, Denmark. [3] The Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark. [4] Princess Al-Jawhara AlBrahim Centre of Excellence in Research of Hereditary Disorders (PACER-HD), Faculty of Medicine, KAU, Jeddah, Saudi Arabia. [5] Macau University of Science and Technology, Macau, China.

**PMID:** 24997786



**Examples**

```
LiJ_2014.metaphlan_bugs_list.stool()
```

---

 LiJ\_2017

*Data from the LiJ\_2017 study*


---

**Description**

Data from the LiJ\_2017 study

**Datasets**

**LiJ\_2017.genefamilies\_relab.stool:** An ExpressionSet with 196 samples and 1,393,787 features specific to the stool body site

**LiJ\_2017.marker\_abundance.stool:** An ExpressionSet with 196 samples and 88,651 features specific to the stool body site

**LiJ\_2017.marker\_presence.stool:** An ExpressionSet with 196 samples and 82,679 features specific to the stool body site

**LiJ\_2017.metaphlan\_bugs\_list.stool:** An ExpressionSet with 196 samples and 1,150 features specific to the stool body site

**LiJ\_2017.pathabundance\_relab.stool:** An ExpressionSet with 196 samples and 11,776 features specific to the stool body site

**LiJ\_2017.pathcoverage.stool:** An ExpressionSet with 196 samples and 11,776 features specific to the stool body site

**Source**

**Title:** Gut microbiota dysbiosis contributes to the development of hypertension.

**Author:** Li J, Zhao F, Wang Y, Chen J, Tao J, Tian G, Wu S, Liu W, Cui Q, Geng B, Zhang W, Weldon R, Auguste K, Yang L, Liu X, Chen L, Yang X, Zhu B, Cai J

**Lab:** [1] Hypertension Center, Fuwai Hospital, State Key Laboratory of Cardiovascular Disease of China, National Center for Cardiovascular Diseases of China, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, 100037, China., [2] Department of Cardiology, Beijing ChaoYang Hospital, Capital Medical University, Beijing, 100020, China., [3] Beijing Key Laboratory of Hypertension, Beijing, 100020, China., [4] Computational Genomics Laboratory, Beijing Institutes of Life Science, Chinese Academy of Sciences, Beijing, 100101, China., [5] Novogene Bioinformatics Institute, Beijing, 100000, China., [6] Department of Cardiology, Baoding NO.1 Central Hospital, Baoding, 071000, China., [7] Department of Cardiology, The First Affiliated Hospital, Xi'an Jiaotong University, Xi'an, 710061, China., [8] Department of Cardiology Kailuan General Hospital, Hebei Union University, Tangshan, 063000, China., [9] Department of Biomedical Informatics, Centre for Noncoding RNA Medicine, School of Basic Medical Sciences, Peking University, Beijing, 100191, China., [10] Department of Biology and Biochemistry, University of Houston, Houston, TX, 77204, USA., [11] Medical Research Center, Beijing ChaoYang Hospital, Capital Medical University, Beijing, 100020, China.,

[12] Department of Stem Cell Engineering, Texas Heart Institute, Houston, TX, 77030, USA., [13] Tongji Hospital, Huazhong University of Science and Technology, Wuhan, Hubei, 430030, China., [14] Department of Cardiology, Beijing ChaoYang Hospital, Capital Medical University, Beijing, 100020, China. yxc6229@sina.com., [15] Beijing Key Laboratory of Hypertension, Beijing, 100020, China. yxc6229@sina.com., [16] CAS Key Laboratory of Pathogenic Microbiology and Immunology, Institute of Microbiology, Chinese Academy of Sciences, Beijing, 100101, China. zhubaoli@im.ac.cn., [17] Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, The First Affiliated Hospital, College of Medicine, Zhejiang University, Hangzhou, 310003, China. zhubaoli@im.ac.cn., [18] Hypertension Center, Fuwai Hospital, State Key Laboratory of Cardiovascular Disease of China, National Center for Cardiovascular Diseases of China, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, 100037, China. caijun@fuwaihospital.org.

**PMID:** 28143587

### Examples

```
LiJ_2017.metaphlan_bugs_list.stool()
```

---

LiW\_2016

*Data from the LiuW\_2016 study*

---

### Description

Data from the LiuW\_2016 study

### Datasets

**LiW\_2016.genefamilies\_relab.stool:** An ExpressionSet with 110 samples and 1,178,616 features specific to the stool body site

**LiW\_2016.marker\_abundance.stool:** An ExpressionSet with 110 samples and 81,028 features specific to the stool body site

**LiW\_2016.marker\_presence.stool:** An ExpressionSet with 110 samples and 76,593 features specific to the stool body site

**LiW\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 110 samples and 1,078 features specific to the stool body site

**LiW\_2016.pathabundance\_relab.stool:** An ExpressionSet with 110 samples and 12,647 features specific to the stool body site

**LiW\_2016.pathcoverage.stool:** An ExpressionSet with 110 samples and 12,647 features specific to the stool body site

**Source**

**Title:** Unique Features of Ethnic Mongolian Gut Microbiome revealed by metagenomic analysis.

**Author:** Liu W, Zhang J, Wu C, Cai S, Huang W, Chen J, Xi X, Liang Z, Hou Q, Zhou B, Qin N, Zhang H

**Lab:** [1] Key Laboratory of Dairy Biotechnology and Engineering, Education Ministry of P. R. China, Department of Food Science and Engineering, Inner Mongolia Agricultural University, Hohhot 010018, China., [2] RealBio Genomic Institute, Shanghai 200050, China., [3] State Key Laboratory for Diagnosis and Treatment of Infectious Disease, Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, Zhejiang University, Hangzhou 310003, China.

**PMID:** 27708392

**Examples**

```
LiuW_2016.metaphlan_bugs_list.stool()
```

---

LomanNJ\_2013

*Data from the LomanNJ\_2013 study*

---

**Description**

Data from the LomanNJ\_2013 study

**Datasets**

**LomanNJ\_2013.genefamilies\_relab.stool:** An ExpressionSet with 43 samples and 716,332 features specific to the stool body site

**LomanNJ\_2013.marker\_abundance.stool:** An ExpressionSet with 43 samples and 56,517 features specific to the stool body site

**LomanNJ\_2013.marker\_presence.stool:** An ExpressionSet with 43 samples and 53,285 features specific to the stool body site

**LomanNJ\_2013.metaphlan\_bugs\_list.stool:** An ExpressionSet with 43 samples and 736 features specific to the stool body site

**LomanNJ\_2013.pathabundance\_relab.stool:** An ExpressionSet with 43 samples and 8,657 features specific to the stool body site

**LomanNJ\_2013.pathcoverage.stool:** An ExpressionSet with 43 samples and 8,657 features specific to the stool body site

**Source**

**Title:** A culture-independent sequence-based metagenomics approach to the investigation of an outbreak of Shiga-toxigenic Escherichia coli O104:H4.

**Author:** Loman NJ, Constantinidou C, Christner M, Rohde H, Chan JZ, Quick J, Weir JC, Quince C, Smith GP, Betley JR, Aepfelbacher M, Pallen MJ

**Lab:** [1] Institute of Microbiology and Infection, University of Birmingham, Birmingham, England.

**PMID:** 23571589

**Examples**

```
LomanNJ_2013.metaphlan_bugs_list.stool()
```

---

LouisS\_2016

*Data from the LouisS\_2016 study*

---

**Description**

Data from the LouisS\_2016 study

**Datasets**

**LouisS\_2016.genefamilies\_relab.stool:** An ExpressionSet with 92 samples and 814,252 features specific to the stool body site

**LouisS\_2016.marker\_abundance.stool:** An ExpressionSet with 92 samples and 53,320 features specific to the stool body site

**LouisS\_2016.marker\_presence.stool:** An ExpressionSet with 92 samples and 51,680 features specific to the stool body site

**LouisS\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 92 samples and 657 features specific to the stool body site

**LouisS\_2016.pathabundance\_relab.stool:** An ExpressionSet with 92 samples and 7,212 features specific to the stool body site

**LouisS\_2016.pathcoverage.stool:** An ExpressionSet with 92 samples and 7,212 features specific to the stool body site

**Source**

**Title:** Characterization of the Gut Microbial Community of Obese Patients Following a Weight-Loss Intervention Using Whole Metagenome Shotgun Sequencing.

**Author:** Louis S, Tappu RM, Damms-Machado A, Huson DH, Bischoff SC

**Lab:** [1] Institute of Clinical Nutrition, University of Hohenheim, Stuttgart, Germany., [2] Algorithms in Bioinformatics, University of Tübingen, Tübingen, Germany.

**PMID:** 26919743

**Examples**

```
LouisS_2016.metaphlan_bugs_list.stool()
```

---

`mergeData`*Title Merge a list of curatedMetagenomicData datasets*

---

**Description**

This function merges a list of ExpressionSet objects produced by the curatedMetagenomicData() function into a single ExpressionSet. It is recommended to use this functions only on a list of datasets of the same data type (for example, all metaphlan\_bugs\_list datasets).

**Usage**

```
mergeData(obj, sampledelim = ":", studycolname = "studyID")
```

**Arguments**

|                           |  |
|---------------------------|--|
| <code>obj</code>          | A list or SimpleList containing an ExpressionSet in each element   |
| <code>sampledelim</code>  | If a character vector of length one is provided, for example ":" (default) then sample names in the merged ExpressionSet will combine study identifier with sample identifier in the form studyID:sampleID. If not a character vector of length one, then sample names from the original studies will be preserved. Can be set to NULL to keep the sample names of the original studies. |
| <code>studycolname</code> | If a character vector of length one is provided (default: studyID), a column with this name will be added to the phenoData, containing study IDs taken from the names of the ExpressionSet object.   |

**Value**

an ExpressionSet object

**Examples**

```
oral <- c("BritoIL_2016.metaphlan_bugs_list.oralcavity",  
         "Castro-NallarE_2015.metaphlan_bugs_list.oralcavity")  
esl <- curatedMetagenomicData(oral, dryrun = FALSE)  
eset <- mergeData(esl)  
eset  
pseq <- ExpressionSet2phyloseq(eset)  
pseq
```

NielsenHB\_2014

*Data from the NielsenHB\_2014 study***Description**

Data from the NielsenHB\_2014 study

**Datasets**

**NielsenHB\_2014.genefamilies\_relab.stool:** An ExpressionSet with 396 samples and 1,730,383 features specific to the stool body site

**NielsenHB\_2014.marker\_abundance.stool:** An ExpressionSet with 396 samples and 222,837 features specific to the stool body site

**NielsenHB\_2014.marker\_presence.stool:** An ExpressionSet with 396 samples and 188,446 features specific to the stool body site

**NielsenHB\_2014.metaphlan\_bugs\_list.stool:** An ExpressionSet with 396 samples and 1,939 features specific to the stool body site

**NielsenHB\_2014.pathabundance\_relab.stool:** An ExpressionSet with 396 samples and 17,280 features specific to the stool body site

**NielsenHB\_2014.pathcoverage.stool:** An ExpressionSet with 396 samples and 17,280 features specific to the stool body site

**Source**

**Title:** Identification and assembly of genomes and genetic elements in complex metagenomic samples without using reference genomes.

**Author:** Nielsen HB, Almeida M, Juncker AS, Rasmussen S, Li J, Sunagawa S, Plichta DR, Gautier L, Pedersen AG, Le Chatelier E, Pelletier E, Bonde I, Nielsen T, Manichanh C, Arumugam M, Batto JM, Quintanilha Dos Santos MB, Blom N, Borruel N, Burgdorf KS, Boumezbear F, Casellas F, Doré J, Dworzynski P, Guarner F, Hansen T, Hildebrand F, Kaas RS, Kennedy S, Kristiansen K, Kultima JR, Léonard P, Levenez F, Lund O, Moumen B, Le Paslier D, Pons N, Pedersen O, Prifti E, Qin J, Raes J, Sørensen S, Tap J, Tims S, Ussery DW, Yamada T, Renault P, Sicheritz-Ponten T, Bork P, Wang J, Brunak S, Ehrlich SD, Nielsen HB, Almeida M, Juncker AS, Rasmussen S, Li J, Sunagawa S, Plichta DR, Gautier L, Pedersen AG, Le Chatelier E, Pelletier E, Bonde I, Nielsen T, Manichanh C, Arumugam M, Batto JM, Quintanilha Dos Santos MB, Blom N, Borruel N, Burgdorf KS, Boumezbear F, Casellas F, Doré J, Dworzynski P, Guarner F, Hansen T, Hildebrand F, Kaas RS, Kennedy S, Kristiansen K, Kultima JR, Leonard P, Levenez F, Lund O, Moumen B, Le Paslier D, Pons N, Pedersen O, Prifti E, Qin J, Raes J, Sørensen S, Tap J, Tims S, Ussery DW, Yamada T, Renault P, Sicheritz-Ponten T, Bork P, Wang J, Brunak S, Ehrlich SD, Jamet A, Mérieux A, Cultrone A, Torrejon A, Quinquis B, Brechot C, Delorme C, M'Rini C, de Vos WM, Maguin E, Varela E, Guedon E, Gwen F, Haimet F, Artiguenave F, Vandemeulebrouck G, Denariáz G, Khaci G, Blottière H, Knol J, Weissenbach J, van Hylckama Vlieg JE, Torben J, Parkhill J, Turner K, van de Guchte M, Antolin M, Rescigno M, Kleerebezem M, Derrien M, Galleron N, Sanchez N, Grarup N, Veiga P, Oozeer R, Dervyn R, Layec S, Bruls T, Winogradski Y, Erwin G Z

**Lab:** [1] 1] Center for Biological Sequence Analysis, Technical University of Denmark, Kongens Lyngby, Denmark. [2] Novo Nordisk Foundation Center for Biosustainability, Technical University of Denmark, Kongens Lyngby, Denmark. [3]., [2] 1] INRA, Institut National de la Recherche Agronomique, UMR 14121 MICALIS, Jouy en Josas, France. [2] INRA, Institut National de la Recherche Agronomique, US 1367 Metagenopolis, Jouy en Josas, France. [3] Department of Computer Science, Center for Bioinformatics and Computational Biology, University of Maryland, USA. [4]., [3] 1] Center for Biological Sequence Analysis, Technical University of Denmark, Kongens Lyngby, Denmark. [2] Novo Nordisk Foundation Center for Biosustainability, Technical University of Denmark, Kongens Lyngby, Denmark., [4] Center for Biological Sequence Analysis, Technical University of Denmark, Kongens Lyngby, Denmark., [5] 1] BGI Hong Kong Research Institute, Hong Kong, China. [2] BGI-Shenzhen, Shenzhen, China. [3] School of Bioscience and Biotechnology, South China University of Technology, Guangzhou, China., [6] European Molecular Biology Laboratory, Heidelberg, Germany., [7] 1] INRA, Institut National de la Recherche Agronomique, UMR 14121 MICALIS, Jouy en Josas, France. [2] INRA, Institut National de la Recherche Agronomique, US 1367 Metagenopolis, Jouy en Josas, France., [8] 1] Commissariat à l’Energie Atomique et aux Energies Alternatives, Institut de Genomique, Evry, France. [2] Centre National de la Recherche Scientifique, Evry, France. [3] Université d’Evry Val d’Essonne, Evry, France., [9] The Novo Nordisk Foundation Center for Basic Metabolic Research, University of Copenhagen, Copenhagen, Denmark., [10] Digestive System Research Unit, University Hospital Vall d’Hebron, Ciberehd, Barcelona, Spain., [11] 1] BGI-Shenzhen, Shenzhen, China. [2] European Molecular Biology Laboratory, Heidelberg, Germany. [3] The Novo Nordisk Foundation Center for Basic Metabolic Research, University of Copenhagen, Copenhagen, Denmark., [12] Novo Nordisk Foundation Center for Biosustainability, Technical University of Denmark, Kongens Lyngby, Denmark., [13] 1] The Novo Nordisk Foundation Center for Basic Metabolic Research, University of Copenhagen, Copenhagen, Denmark. [2] Faculty of Health Sciences, University of Southern Denmark, Odense, Denmark., [14] 1] Department of Structural Biology, VIB, Brussels, Belgium. [2] Department of Bioscience Engineering, Vrije Universiteit, Brussels, Belgium., [15] National Food Institute, Division for Epidemiology and Microbial Genomics, Technical University of Denmark, Kongens Lyngby, Denmark., [16] 1] BGI-Shenzhen, Shenzhen, China. [2] Department of Biology, University of Copenhagen, Copenhagen, Denmark., [17] 1] The Novo Nordisk Foundation Center for Basic Metabolic Research, University of Copenhagen, Copenhagen, Denmark. [2] Hagedorn Research Institute, Gentofte, Denmark. [3] Institute of Biomedical Science, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark. [4] Faculty of Health, Aarhus University, Aarhus, Denmark., [18] 1] BGI Hong Kong Research Institute, Hong Kong, China. [2] BGI-Shenzhen, Shenzhen, China., [19] 1] Department of Bioscience Engineering, Vrije Universiteit, Brussels, Belgium. [2] Department of Microbiology and Immunology, Rega Institute, KU Leuven, Belgium. [3] VIB Center for the Biology of Disease, Leuven, Belgium., [20] Section of Microbiology, Department of Biology, University of Copenhagen, Copenhagen, Denmark., [21] Laboratory of Microbiology, Wageningen University, Wageningen, The Netherlands., [22] 1] European Molecular Biology Laboratory, Heidelberg, Germany. [2] Department of Biological Information, Tokyo Institute of Technology, Yokohama, Japan., [23] INRA, Institut National de la Recherche Agronomique, UMR 14121 MICALIS, Jouy en Josas, France., [24] 1] European Molecular Biology Laboratory, Heidelberg, Germany. [2] Max Delbrück Centre for Molecular Medicine, Berlin, Germany., [25] 1] BGI-Shenzhen, Shenzhen, China. [2] The Novo Nordisk Foundation Center for Basic Metabolic Research, University of Copenhagen, Copenhagen, Denmark. [3] Department of Biology, University of Copenhagen, Copenhagen, Denmark. [4] Princess Al Jawhara Center of Excellence in the Research of Hereditary Disorders, King Abdulaziz University, Jeddah, Saudi Arabia., [26] 1] INRA, Institut National de la Recherche Agronomique, UMR 14121 MICALIS, Jouy en Josas, France. [2] INRA, Institut National de la Recherche Agronomique, US 1367 Metagenopolis, Jouy en Josas, France. [3] King’s College London, Centre for Host-Microbiome Interactions, Dental Institute Central Office, Guy’s Hospital, United

Kingdom.

**PMID:** 24997787

### Examples

```
NielsenHB_2014.metaphlan_bugs_list.stool()
```

---

Obregon-TitoAJ\_2015     *Data from the Obregon-TitoAJ\_2015 study*

---

### Description

Data from the Obregon-TitoAJ\_2015 study

### Datasets

**Obregon-TitoAJ\_2015.genefamilies\_relab.stool:** An ExpressionSet with 58 samples and 1,192,381 features specific to the stool body site

**Obregon-TitoAJ\_2015.marker\_abundance.stool:** An ExpressionSet with 58 samples and 195,319 features specific to the stool body site

**Obregon-TitoAJ\_2015.marker\_presence.stool:** An ExpressionSet with 58 samples and 150,346 features specific to the stool body site

**Obregon-TitoAJ\_2015.metaphlan\_bugs\_list.stool:** An ExpressionSet with 58 samples and 1,548 features specific to the stool body site

**Obregon-TitoAJ\_2015.pathabundance\_relab.stool:** An ExpressionSet with 58 samples and 10,438 features specific to the stool body site

**Obregon-TitoAJ\_2015.pathcoverage.stool:** An ExpressionSet with 58 samples and 10,438 features specific to the stool body site

### Exploratory Data Analysis

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation

An EDA figure is available in the HTML documentation



**Source**

**Title:** Subsistence strategies in traditional societies distinguish gut microbiomes.

**Author:** Obregon-Tito AJ, Tito RY, Metcalf J, Sankaranarayanan K, Clemente JC, Ursell LK, Zech Xu Z, Van Treuren W, Knight R, Gaffney PM, Spicer P, Lawson P, Marin-Reyes L, Trujillo-Villarroel O, Foster M, Guija-Poma E, Troncoso-Corzo L, Warinner C, Ozga AT, Lewis CM

**Lab:** [1] Department of Anthropology, University of Oklahoma, Dale Hall Tower, 521 Norman, Oklahoma 73019, USA [2] Universidad Cientifica del Sur, Lima 18, Peru [3] City of Hope, NCI-designated Comprehensive Cancer Center, Duarte, California 91010, USA.

**PMID:** 25807110

**Examples**

```
`Obregon-TitoAJ_2015.metaphlan_bugs_list.stool`()
```

---

Obregon\_TitoAJ\_2015     *Data from the Obregon\_TitoAJ\_2015 study*

---

**Description**

Data from the Obregon\_TitoAJ\_2015 study

**Datasets**

**Obregon\_TitoAJ\_2015.genefamilies\_relab.stool:** An ExpressionSet with 58 samples and 1,185,621 features specific to the stool body site

**Obregon\_TitoAJ\_2015.marker\_abundance.stool:** An ExpressionSet with 58 samples and 96,336 features specific to the stool body site

**Obregon\_TitoAJ\_2015.marker\_presence.stool:** An ExpressionSet with 58 samples and 86,352 features specific to the stool body site

**Obregon\_TitoAJ\_2015.metaphlan\_bugs\_list.stool:** An ExpressionSet with 58 samples and 1,094 features specific to the stool body site

**Obregon\_TitoAJ\_2015.pathabundance\_relab.stool:** An ExpressionSet with 58 samples and 9,801 features specific to the stool body site

**Obregon\_TitoAJ\_2015.pathcoverage.stool:** An ExpressionSet with 58 samples and 9,801 features specific to the stool body site

**Source**

**Title:** Subsistence strategies in traditional societies distinguish gut microbiomes.

**Author:** Obregon-Tito AJ, Tito RY, Metcalf J, Sankaranarayanan K, Clemente JC, Ursell LK, Zech Xu Z, Van Treuren W, Knight R, Gaffney PM, Spicer P, Lawson P, Marin-Reyes L, Trujillo-Villarreal O, Foster M, Guija-Poma E, Troncoso-Corzo L, Warinner C, Ozga AT, Lewis CM

**Lab:** [1] 1] Department of Anthropology, University of Oklahoma, Dale Hall Tower, 521 Norman, Oklahoma 73019, USA [2] Universidad Cientifica del Sur, Lima 18, Peru [3] City of Hope, NCI-designated Comprehensive Cancer Center, Duarte, California 91010, USA., [2] 1] Department of Anthropology, University of Oklahoma, Dale Hall Tower, 521 Norman, Oklahoma 73019, USA [2] Universidad Cientifica del Sur, Lima 18, Peru, [3] City of Hope, NCI-designated Comprehensive Cancer Center, Duarte, California 91010, USA., [4] Department of Anthropology, University of Oklahoma, Dale Hall Tower, 521 Norman, Oklahoma 73019, USA., [5] Department of Chemistry and Biochemistry, University of Colorado, Boulder, Colorado 80309, USA., [6] Departments of Pediatrics and Computer Science & Engineering University of California San Diego, La Jolla, CA 92093, USA., [7] Oklahoma Medical Research Foundation, Oklahoma City, Oklahoma 73104, USA., [8] Instituto Nacional de Salud, Lima 11, Peru, [9] Old Dominion University, Norfolk, Virginia 23529, USA., [10] Universidad Cientifica del Sur, Lima 18, Peru

**PMID:** 25807110

**Examples**

Obregon\_TitoAJ\_2015.metaphlan\_bugs\_list.stool()

---

OhJ\_2014

*Data from the OhJ\_2014 study*

---

**Description**

Data from the OhJ\_2014 study

**Datasets**

**OhJ\_2014.genefamilies\_relab.skin:** An ExpressionSet with 291 samples and 3,956,472 features specific to the skin body site

**OhJ\_2014.marker\_abundance.skin:** An ExpressionSet with 291 samples and 202,657 features specific to the skin body site

**OhJ\_2014.marker\_presence.skin:** An ExpressionSet with 291 samples and 184,914 features specific to the skin body site

**OhJ\_2014.metaphlan\_bugs\_list.skin:** An ExpressionSet with 291 samples and 2,461 features specific to the skin body site

**OhJ\_2014.pathabundance\_relab.skin:** An ExpressionSet with 291 samples and 48,536 features specific to the skin body site

**OhJ\_2014.pathcoverage.skin:** An ExpressionSet with 291 samples and 48,536 features specific to the skin body site

**Source**

**Title:** Biogeography and individuality shape function in the human skin metagenome.

**Author:** Oh J, Byrd AL, Deming C, Conlan S, Kong HH, Segre JA, Barnabas B, Blakesley R, Bouffard G, Brooks S, Coleman H, Dekhtyar M, Gregory M, Guan X, Gupta J, Han J, Ho SL, Legaspi R, Maduro Q, Masiello C, Maskeri B, McDowell J, Montemayor C, Mullikin J, Park M, Riebow N, Schandler K, Schmidt B, Sison C, Stantripop M, Thomas J, Thomas P, Vemulapalli M, Young A

**Lab:** [1] Translational and Functional Genomics Branch, National Human Genome Research Institute, NIH, Bethesda, Maryland 20892, USA., [2] 1] Dermatology Branch, Center for Cancer Research, National Cancer Institute, NIH, Bethesda, Maryland 20892, USA [2]., [3] 1] Translational and Functional Genomics Branch, National Human Genome Research Institute, NIH, Bethesda, Maryland 20892, USA [2].

**PMID:** 25279917

**Examples**

```
OhJ_2014.metaphlan_bugs_list.skin()
```

---

QinJ\_2012

*Data from the QinJ\_2012 study*

---

**Description**

Data from the QinJ\_2012 study

**Datasets**

**QinJ\_2012.genefamilies\_relab.stool:** An ExpressionSet with 363 samples and 1,690,773 features specific to the stool body site

**QinJ\_2012.marker\_abundance.stool:** An ExpressionSet with 363 samples and 132,933 features specific to the stool body site

**QinJ\_2012.marker\_presence.stool:** An ExpressionSet with 363 samples and 125,126 features specific to the stool body site

**QinJ\_2012.metaphlan\_bugs\_list.stool:** An ExpressionSet with 363 samples and 1,588 features specific to the stool body site

**QinJ\_2012.pathabundance\_relab.stool:** An ExpressionSet with 363 samples and 18,478 features specific to the stool body site

**QinJ\_2012.pathcoverage.stool:** An ExpressionSet with 363 samples and 18,478 features specific to the stool body site

**Source**

**Title:** A metagenome-wide association study of gut microbiota in type 2 diabetes.

**Author:** Qin J, Li Y, Cai Z, Li S, Zhu J, Zhang F, Liang S, Zhang W, Guan Y, Shen D, Peng Y, Zhang D, Jie Z, Wu W, Qin Y, Xue W, Li J, Han L, Lu D, Wu P, Dai Y, Sun X, Li Z, Tang A, Zhong S, Li X, Chen W, Xu R, Wang M, Feng Q, Gong M, Yu J, Zhang Y, Zhang M, Hansen T, Sanchez G, Raes J, Falony G, Okuda S, Almeida M, LeChatelier E, Renault P, Pons N, Batto JM, Zhang Z, Chen H, Yang R, Zheng W, Li S, Yang H, Wang J, Ehrlich SD, Nielsen R, Pedersen O, Kristiansen K, Wang J

**Lab:** [1] BGI-Shenzhen, Shenzhen 518083, China.

**PMID:** 23023125

**Examples**

```
QinJ_2012.metaphlan_bugs_list.stool()
```

---

QinN\_2014

*Data from the QinN\_2014 study*

---

**Description**

Data from the QinN\_2014 study

**Datasets**

**QinN\_2014.genefamilies\_relab.stool:** An ExpressionSet with 237 samples and 1,747,533 features specific to the stool body site

**QinN\_2014.marker\_abundance.stool:** An ExpressionSet with 237 samples and 132,774 features specific to the stool body site

**QinN\_2014.marker\_presence.stool:** An ExpressionSet with 237 samples and 126,096 features specific to the stool body site

**QinN\_2014.metaphlan\_bugs\_list.stool:** An ExpressionSet with 237 samples and 1,512 features specific to the stool body site

**QinN\_2014.pathabundance\_relab.stool:** An ExpressionSet with 237 samples and 19,418 features specific to the stool body site

**QinN\_2014.pathcoverage.stool:** An ExpressionSet with 237 samples and 19,418 features specific to the stool body site

**Source**

**Title:** Alterations of the human gut microbiome in liver cirrhosis.

**Author:** Qin N, Yang F, Li A, Prifti E, Chen Y, Shao L, Guo J, Le Chatelier E, Yao J, Wu L, Zhou J, Ni S, Liu L, Pons N, Batto JM, Kennedy SP, Leonard P, Yuan C, Ding W, Chen Y, Hu X, Zheng B, Qian G, Xu W, Ehrlich SD, Zheng S, Li L

**Lab:** [1] 1] State Key Laboratory for Diagnosis and Treatment of Infectious Disease, The First Affiliated Hospital, College of Medicine, Zhejiang University, 310003 Hangzhou, China [2] Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Zhejiang University, 310003 Hangzhou, China [3]., [2] 1] State Key Laboratory for Diagnosis and Treatment of Infectious Disease, The First Affiliated Hospital, College of Medicine, Zhejiang University, 310003 Hangzhou, China [2]., [3] 1] Metagenopolis, Institut National de la Recherche Agronomique, 78350 Jouy en Josas, France [2]., [4] State Key Laboratory for Diagnosis and Treatment of Infectious Disease, The First Affiliated Hospital, College of Medicine, Zhejiang University, 310003 Hangzhou, China., [5] Metagenopolis, Institut National de la Recherche Agronomique, 78350 Jouy en Josas, France., [6] 1] State Key Laboratory for Diagnosis and Treatment of Infectious Disease, The First Affiliated Hospital, College of Medicine, Zhejiang University, 310003 Hangzhou, China [2] Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Zhejiang University, 310003 Hangzhou, China., [7] 1] Metagenopolis, Institut National de la Recherche Agronomique, 78350 Jouy en Josas, France [2] King's College London, Centre for Host-Microbiome Interactions, Dental Institute Central Office, Guy's Hospital, London Bridge, London SE1 9RT, UK., [8] 1] Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Zhejiang University, 310003 Hangzhou, China [2] Key Laboratory of Combined Multi-organ Transplantation, Ministry of Public Health, the First Affiliated Hospital, Zhejiang University, 310003 Hangzhou, China.

**PMID:** 25079328

**Examples**

```
QinN_2014.metaphlan_bugs_list.stool()
```

---

RampelliS\_2015

*Data from the RampelliS\_2015 study*

---

**Description**

Data from the RampelliS\_2015 study

**Datasets**

**RampelliS\_2015.genefamilies\_relab.stool:** An ExpressionSet with 38 samples and 788,640 features specific to the stool body site

**RampelliS\_2015.marker\_abundance.stool:** An ExpressionSet with 38 samples and 50,394 features specific to the stool body site

**RampelliS\_2015.marker\_presence.stool:** An ExpressionSet with 38 samples and 47,455 features specific to the stool body site

**RampelliS\_2015.metaphlan\_bugs\_list.stool:** An ExpressionSet with 38 samples and 727 features specific to the stool body site

**RampelliS\_2015.pathabundance\_relab.stool:** An ExpressionSet with 38 samples and 6,798 features specific to the stool body site

**RampelliS\_2015.pathcoverage.stool:** An ExpressionSet with 38 samples and 6,798 features specific to the stool body site

### Source

**Title:** Metagenome Sequencing of the Hadza Hunter-Gatherer Gut Microbiota.

**Author:** Rampelli S, Schnorr SL, Consolandi C, Turrone S, Severgnini M, Peano C, Brigidi P, Crittenden AN, Henry AG, Candela M

**Lab:** [1] Department of Pharmacy and Biotechnology, University of Bologna, Bologna 40126, Italy., [2] Plant Foods in Hominin Dietary Ecology Research Group, Max Planck Institute for Evolutionary Anthropology, Leipzig 04103, Germany. Electronic address: stephanie\_schnorr@eva.mpg.de., [3] Institute of Biomedical Technologies, Italian National Research Council, Segrate, Milan 20090, Italy., [4] Metabolism, Anthropometry, and Nutrition Laboratory, Department of Anthropology, University of Nevada, Las Vegas, NV 89154-5003, USA., [5] Plant Foods in Hominin Dietary Ecology Research Group, Max Planck Institute for Evolutionary Anthropology, Leipzig 04103, Germany., [6] Department of Pharmacy and Biotechnology, University of Bologna, Bologna 40126, Italy. Electronic address: marco.candela@unibo.it.

**PMID:** 25981789

### Examples

```
RampelliS_2015.metaphlan_bugs_list.stool()
```

---

RaymondF\_2016

*Data from the RaymondF\_2016 study*

---

### Description

Data from the RaymondF\_2016 study

### Datasets

**RaymondF\_2016.genefamilies\_relab.stool:** An ExpressionSet with 72 samples and 1,060,132 features specific to the stool body site

**RaymondF\_2016.marker\_abundance.stool:** An ExpressionSet with 72 samples and 72,992 features specific to the stool body site

**RaymondF\_2016.marker\_presence.stool:** An ExpressionSet with 72 samples and 70,705 features specific to the stool body site

**RaymondF\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 72 samples and 834 features specific to the stool body site

**RaymondF\_2016.pathabundance\_relab.stool:** An ExpressionSet with 72 samples and 8,562 features specific to the stool body site

**RaymondF\_2016.pathcoverage.stool:** An ExpressionSet with 72 samples and 8,562 features specific to the stool body site

### Source

**Title:** The initial state of the human gut microbiome determines its reshaping by antibiotics.

**Author:** Raymond F, Ouameur AA, Déraspe M, Iqbal N, Gingras H, Dridi B, Leprohon P, Plante PL, Giroux R, Bérubé NA, Frenette J, Boudreau DK, Simard JL, Chabot I, Domingo MC, Trottier S, Boissinot M, Huletsky A, Roy PH, Ouellette M, Bergeron MG, Corbeil J

**Lab:** [1] Centre de Recherche en Infectiologie, CHU de Quebec-Universite Laval, Quebec, Canada., [2] Institut National de Sante Publique du Quebec, Laboratoire de Sante Publique du Quebec, Montreal, Quebec, Canada.

**PMID:** 26359913

### Examples

```
RaymondF_2016.metaphlan_bugs_list.stool()
```

---

SchirmerM\_2016

*Data from the SchirmerM\_2016 study*

---

### Description

Data from the SchirmerM\_2016 study

### Datasets

**SchirmerM\_2016.genefamilies\_relab.stool:** An ExpressionSet with 471 samples and 1,396,085 features specific to the stool body site

**SchirmerM\_2016.marker\_abundance.stool:** An ExpressionSet with 471 samples and 104,930 features specific to the stool body site

**SchirmerM\_2016.marker\_presence.stool:** An ExpressionSet with 471 samples and 101,457 features specific to the stool body site

**SchirmerM\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 471 samples and 1,177 features specific to the stool body site

**SchirmerM\_2016.pathabundance\_relab.stool:** An ExpressionSet with 471 samples and 12,707 features specific to the stool body site

**SchirmerM\_2016.pathcoverage.stool:** An ExpressionSet with 471 samples and 12,707 features specific to the stool body site

**Source**

**Title:** Linking the Human Gut Microbiome to Inflammatory Cytokine Production Capacity.

**Author:** Schirmer M, Smeekens SP, Vlamakis H, Jaeger M, Oosting M, Franzosa EA, Horst RT, Jansen T, Jacobs L, Bonder MJ, Kurilshikov A, Fu J, Joosten LAB, Zhernakova A, Huttenhower C, Wijmenga C, Netea MG, Xavier RJ

**Lab:** NA

**PMID:** 27984736

**Examples**

SchirmerM\_2016.metaphlan\_bugs\_list.stool()

---

SmitsSA\_2017

*Data from the SmitsSA\_2017 study*

---

**Description**

Data from the SmitsSA\_2017 study

**Datasets**

**SmitsSA\_2017.genefamilies\_relab.stool:** An ExpressionSet with 40 samples and 400,325 features specific to the stool body site

**SmitsSA\_2017.marker\_abundance.stool:** An ExpressionSet with 40 samples and 21,684 features specific to the stool body site

**SmitsSA\_2017.marker\_presence.stool:** An ExpressionSet with 40 samples and 19,635 features specific to the stool body site

**SmitsSA\_2017.metaphlan\_bugs\_list.stool:** An ExpressionSet with 40 samples and 343 features specific to the stool body site

**SmitsSA\_2017.pathabundance\_relab.stool:** An ExpressionSet with 40 samples and 3,562 features specific to the stool body site

**SmitsSA\_2017.pathcoverage.stool:** An ExpressionSet with 40 samples and 3,562 features specific to the stool body site

**Source**

**Title:** Seasonal cycling in the gut microbiome of the Hadza hunter-gatherers of Tanzania.

**Author:** Smits SA, Leach J, Sonnenburg ED, Gonzalez CG, Lichtman JS, Reid G, Knight R, Manjurano A, Changalucha J, Elias JE, Dominguez-Bello MG, Sonnenburg JL



**Lab:** [1] Department of Microbiology and Immunology, Stanford University School of Medicine, Stanford, CA 94305, USA., [2] Human Food Project, 53600 Highway 118, Terlingua, TX 79852, USA., [3] The Department of Twin Research and Genetic Epidemiology, King's College London, St. Thomas' Hospital, Lambeth Palace Road, London SE1 7EH, UK., [4] Department of Chemical and Systems Biology, Stanford School of Medicine, Stanford University, Stanford, CA 94025, USA., [5] Lawson Health Research Institute and Western University, London, Ontario N6A 4V2, Canada., [6] Departments of Pediatrics and Computer Science and Engineering and Center for Microbiome Innovation, University of California, San Diego, CA 92093, USA., [7] National Institute for Medical Research, Mwanza 11101, Tanzania., [8] School of Medicine and Department of Anthropology, New York University, New York, NY, USA.

**PMID:** 28839072

### Examples

```
SmitsSA_2017.metaphlan_bugs_list.stool()
```

---

TettAJ\_2016

*Data from the TettAJ\_2016 study*

---

### Description

Data from the TettAJ\_2016 study

### Datasets

**TettAJ\_2016.genefamilies\_relab.skin:** An ExpressionSet with 97 samples and 1,177,112 features specific to the skin body site

**TettAJ\_2016.marker\_abundance.skin:** An ExpressionSet with 97 samples and 64,205 features specific to the skin body site

**TettAJ\_2016.marker\_presence.skin:** An ExpressionSet with 97 samples and 59,833 features specific to the skin body site

**TettAJ\_2016.metaphlan\_bugs\_list.skin:** An ExpressionSet with 97 samples and 1,002 features specific to the skin body site

**TettAJ\_2016.pathabundance\_relab.skin:** An ExpressionSet with 97 samples and 18,914 features specific to the skin body site

**TettAJ\_2016.pathcoverage.skin:** An ExpressionSet with 97 samples and 18,914 features specific to the skin body site

### Source

**Title:** Unexplored diversity and strain-level structure of the skin microbiome associated with psoriasis.

**Author:** Tett A, Pasolli E, Farina S, Truong DT, Asnicar F, Zolfo M, Beghini F, Armanini F, Jousson O, De Sanctis V, Bertorelli R, Girolomoni G, Cristofolini M, Segata N

**Lab:** [1] Centre for Integrative Biology, University of Trento, Trento, Italy., [2] Istituto G.B. Mattei, Comano, Italy., [3] NGS Facility, Laboratory of Biomolecular Sequence and Structure Analysis for Health, Centre for Integrative Biology, University of Trento, Trento, Italy., [4] Department of Medicine, Section of Dermatology, University of Verona, Verona, Italy.

**PMID:** 28649415

### Examples

```
TettAJ_2016.metaphlan_bugs_list.skin()
```

---

VatanenT\_2016

*Data from the VatanenT\_2016 study*

---

### Description

Data from the VatanenT\_2016 study

### Datasets

**VatanenT\_2016.genefamilies\_relab.stool:** An ExpressionSet with 785 samples and 1,719,634 features specific to the stool body site

**VatanenT\_2016.marker\_abundance.stool:** An ExpressionSet with 785 samples and 135,979 features specific to the stool body site

**VatanenT\_2016.marker\_presence.stool:** An ExpressionSet with 785 samples and 131,625 features specific to the stool body site

**VatanenT\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 785 samples and 1,584 features specific to the stool body site

**VatanenT\_2016.pathabundance\_relab.stool:** An ExpressionSet with 785 samples and 19,236 features specific to the stool body site

**VatanenT\_2016.pathcoverage.stool:** An ExpressionSet with 785 samples and 19,236 features specific to the stool body site

### Source

**Title:** Variation in Microbiome LPS Immunogenicity Contributes to Autoimmunity in Humans.

**Author:** Vatanen T, Kostic AD, d’Hennezel E, Siljander H, Franzosa EA, Yassour M, Kolde R, Vlamakis H, Arthur TD, Hämäläinen AM, Peet A, Tillmann V, Uibo R, Mokurov S, Dorshakova N, Itonen J, Virtanen SM, Szabo SJ, Porter JA, Lähdesmäki H, Huttenhower C, Gevers D, Cullen TW, Knip M, Xavier RJ

**Lab:** NA

**PMID:** 27259157

### Examples

```
VatanenT_2016.metaphlan_bugs_list.stool()
```

---

VincentC\_2016

*Data from the VincentC\_2016 study*

---

## Description

Data from the VincentC\_2016 study

## Datasets

**VincentC\_2016.genefamilies\_relab.stool:** An ExpressionSet with 229 samples and 1,513,277 features specific to the stool body site

**VincentC\_2016.marker\_abundance.stool:** An ExpressionSet with 229 samples and 116,377 features specific to the stool body site

**VincentC\_2016.marker\_presence.stool:** An ExpressionSet with 229 samples and 110,951 features specific to the stool body site

**VincentC\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 229 samples and 1,452 features specific to the stool body site

**VincentC\_2016.pathabundance\_relab.stool:** An ExpressionSet with 229 samples and 16,254 features specific to the stool body site

**VincentC\_2016.pathcoverage.stool:** An ExpressionSet with 229 samples and 16,254 features specific to the stool body site

## Source

**Title:** Bloom and bust: intestinal microbiota dynamics in response to hospital exposures and *Clostridium difficile* colonization or infection.

**Author:** Vincent C, Miller MA, Edens TJ, Mehrotra S, Dewar K, Manges AR

**Lab:** [1] Department of Microbiology and Immunology, McGill University, Montreal, Quebec, Canada., [2] Genome Quebec Innovation Centre, McGill University, Montreal, Quebec, Canada., [3] Jewish General Hospital, Montreal, Quebec, Canada., [4] Devil's Staircase Consulting, North Vancouver, British Columbia, Canada., [5] New York Genome Center, New York, NY, USA., [6] Department of Human Genetics, McGill University, Montreal, Quebec, Canada., [7] School of Population and Public Health, University of British Columbia, Vancouver, British Columbia, Canada. amee.manges@ubc.ca.

**PMID:** 26975510

## Examples

`VincentC_2016.metaphlan_bugs_list.stool()`

---

VogtmannE\_2016

*Data from the VogtmannE\_2016 study*

---

## Description

Data from the VogtmannE\_2016 study

## Datasets

**VogtmannE\_2016.genefamilies\_relab.stool:** An ExpressionSet with 110 samples and 1,511,515 features specific to the stool body site

**VogtmannE\_2016.marker\_abundance.stool:** An ExpressionSet with 110 samples and 110,990 features specific to the stool body site

**VogtmannE\_2016.marker\_presence.stool:** An ExpressionSet with 110 samples and 107,190 features specific to the stool body site

**VogtmannE\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 110 samples and 1,296 features specific to the stool body site

**VogtmannE\_2016.pathabundance\_relab.stool:** An ExpressionSet with 110 samples and 14,809 features specific to the stool body site

**VogtmannE\_2016.pathcoverage.stool:** An ExpressionSet with 110 samples and 14,809 features specific to the stool body site

## Source

**Title:** Colorectal Cancer and the Human Gut Microbiome: Reproducibility with Whole-Genome Shotgun Sequencing.

**Author:** Vogtmann E, Hua X, Zeller G, Sunagawa S, Voigt AY, Hercog R, Goedert JJ, Shi J, Bork P, Sinha R

**Lab:** [1] Division of Cancer Epidemiology & Genetics, National Cancer Institute, Bethesda, Maryland, United States of America., [2] Division of Cancer Prevention, National Cancer Institute, Bethesda, Maryland, United States of America., [3] Structural and Computational Biology Unit, European Molecular Biology Laboratory, Heidelberg, Germany., [4] Department of Applied Tumor Biology, Institute of Pathology, University Hospital Heidelberg, Heidelberg, Germany., [5] Clinical Cooperation Unit Applied Tumor Biology, German Cancer Research Center (DKFZ), Heidelberg, Germany., [6] Molecular Medicine Partnership Unit (MMPU), University Hospital Heidelberg and European Molecular Biology Laboratory, Heidelberg, Germany., [7] Genomics Core Facility, European Molecular Biology Laboratory, Heidelberg, Germany., [8] Max Delbrück Centre for Molecular Medicine, Berlin, Germany., [9] Department of Bioinformatics Biocenter, University of Würzburg, Würzburg, Germany.

**PMID:** 27171425

## Examples

VogtmannE\_2016.metaphlan\_bugs\_list.stool()

---

XieH\_2016

*Data from the XieH\_2016 study*

---

## Description

Data from the XieH\_2016 study

## Datasets

**XieH\_2016.genefamilies\_relab.stool:** An ExpressionSet with 250 samples and 1,743,159 features specific to the stool body site

**XieH\_2016.marker\_abundance.stool:** An ExpressionSet with 250 samples and 142,530 features specific to the stool body site

**XieH\_2016.marker\_presence.stool:** An ExpressionSet with 250 samples and 129,776 features specific to the stool body site

**XieH\_2016.metaphlan\_bugs\_list.stool:** An ExpressionSet with 250 samples and 1,551 features specific to the stool body site

**XieH\_2016.pathabundance\_relab.stool:** An ExpressionSet with 250 samples and 15,880 features specific to the stool body site

**XieH\_2016.pathcoverage.stool:** An ExpressionSet with 250 samples and 15,880 features specific to the stool body site

## Source

**Title:** Shotgun Metagenomics of 250 Adult Twins Reveals Genetic and Environmental Impacts on the Gut Microbiome.

**Author:** Xie H, Guo R, Zhong H, Feng Q, Lan Z, Qin B, Ward KJ, Jackson MA, Xia Y, Chen X, Chen B, Xia H, Xu C, Li F, Xu X, Al-Aama JY, Yang H, Wang J, Kristiansen K, Wang J, Steves CJ, Bell JT, Li J, Spector TD, Jia H

**Lab:** [1] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China., [2] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; Shenzhen Engineering Laboratory of Detection and Intervention of Human Intestinal Microbiome, BGI-Shenzhen, Shenzhen 518083, China; Macau University of Science and Technology, Taipa, Macau 999078, China., [3] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; Shenzhen Engineering Laboratory of Detection and Intervention of Human Intestinal Microbiome, BGI-Shenzhen, Shenzhen 518083, China., [4] BGI-Shenzhen, Shenzhen 518083, China., [5] Department of Twin Research and Genetic Epidemiology, King's College London, London SE1 7EH, UK., [6] BGI-Shenzhen, Shenzhen 518083, China; BGI Education Center, University of Chinese Academy of Sciences, Shenzhen 518083, China., [7] BGI-Shenzhen, Shenzhen 518083, China; Qingdao University-BGI Joint Innovation College, Qingdao University, Qingdao 266071, China., [8] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; Shenzhen Key Laboratory of Human Commensal Microorganisms and Health Research, BGI-Shenzhen, Shenzhen 518083,

China., [9] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; BGI Education Center, University of Chinese Academy of Sciences, Shenzhen 518083, China., [10] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; James D. Watson Institute of Genome Sciences, Hangzhou 310058, China., [11] BGI-Shenzhen, Shenzhen 518083, China; Department of Biology, University of Copenhagen, Ole Maaloes Vej 5, 2200 Copenhagen, Denmark., [12] BGI-Shenzhen, Shenzhen 518083, China; Macau University of Science and Technology, Taipa, Macau 999078, China; Shenzhen Key Laboratory of Human Commensal Microorganisms and Health Research, BGI-Shenzhen, Shenzhen 518083, China., [13] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; Shenzhen Key Laboratory of Human Commensal Microorganisms and Health Research, BGI-Shenzhen, Shenzhen 518083, China. Electronic address: lijunhua@genomics.cn., [14] Department of Twin Research and Genetic Epidemiology, King's College London, London SE1 7EH, UK. Electronic address: tim.spector@kcl.ac.uk., [15] BGI-Shenzhen, Shenzhen 518083, China; China National Genebank-Shenzhen, BGI-Shenzhen, Shenzhen 518083, China; Macau University of Science and Technology, Taipa, Macau 999078, China; Shenzhen Key Laboratory of Human Commensal Microorganisms and Health Research, BGI-Shenzhen, Shenzhen 518083, China. Electronic address: jiahuijue@genomics.cn.

**PMID:** 27818083

### Examples

XieH\_2016.metaphlan\_bugs\_list.stool()

---

YuJ\_2015

*Data from the YuJ\_2015 study*

---

### Description

Data from the YuJ\_2015 study

### Datasets

**YuJ\_2015.genefamilies\_relab.stool:** An ExpressionSet with 128 samples and 1,532,931 features specific to the stool body site

**YuJ\_2015.marker\_abundance.stool:** An ExpressionSet with 128 samples and 125,243 features specific to the stool body site

**YuJ\_2015.marker\_presence.stool:** An ExpressionSet with 128 samples and 117,525 features specific to the stool body site

**YuJ\_2015.metaphlan\_bugs\_list.stool:** An ExpressionSet with 128 samples and 1,405 features specific to the stool body site

**YuJ\_2015.pathabundance\_relab.stool:** An ExpressionSet with 128 samples and 15,487 features specific to the stool body site

**YuJ\_2015.pathcoverage.stool:** An ExpressionSet with 128 samples and 15,487 features specific to the stool body site

## Source

**Title:** Metagenomic analysis of faecal microbiome as a tool towards targeted non-invasive biomarkers for colorectal cancer.

**Author:** Yu J, Feng Q, Wong SH, Zhang D, Liang QY, Qin Y, Tang L, Zhao H, Stenvang J, Li Y, Wang X, Xu X, Chen N, Wu WK, Al-Aama J, Nielsen HJ, Kiilerich P, Jensen BA, Yau TO, Lan Z, Jia H, Li J, Xiao L, Lam TY, Ng SC, Cheng AS, Wong VW, Chan FK, Xu X, Yang H, Madsen L, Datz C, Tilg H, Wang J, Br unner N, Kristiansen K, Arumugam M, Sung JJ, Wang J

**Lab:** [1] Department of Medicine & Therapeutics, State Key Laboratory of Digestive Disease, Institute of Digestive Disease, LKS Institute of Health Sciences, CUHK Shenzhen Research Institute, The Chinese University of Hong Kong, Hong Kong., [2] BGI-Shenzhen, Shenzhen, China., [3] Department of Biology, University of Copenhagen, Copenhagen, Denmark., [4] Department of Veterinary Disease Biology, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark., [5] Princess Al Jawhara Center of Excellence in the Research of Hereditary Disorders, King Abdulaziz University, Jeddah, Saudi Arabia., [6] Department of Surgical Gastroenterology, Hvidovre Hospital, Hvidovre, Denmark., [7] National Institute of Nutrition and Seafood Research, Bergen, Norway., [8] Department of Internal Medicine, Hospital Oberndorf, Q3 Teaching Hospital of the Paracelsus Private University of Salzburg, Oberndorf, Austria., [9] First Department of Internal Medicine, Medical University Innsbruck, Innsbruck, Austria., [10] The Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark., [11] Macau University of Science and Technology, Macau, China.

**PMID:** 26408641

## Examples

```
YuJ_2015.metaphlan_bugs_list.stool()
```

---

ZellerG\_2014

*Data from the ZellerG\_2014 study*

---

## Description

Data from the ZellerG\_2014 study

## Datasets

**ZellerG\_2014.genefamilies\_relab.stool:** An ExpressionSet with 199 samples and 1,847,962 features specific to the stool body site

**ZellerG\_2014.marker\_abundance.stool:** An ExpressionSet with 199 samples and 138,412 features specific to the stool body site

**ZellerG\_2014.marker\_presence.stool:** An ExpressionSet with 199 samples and 133,484 features specific to the stool body site

**ZellerG\_2014.metaphlan\_bugs\_list.stool:** An ExpressionSet with 199 samples and 1,585 features specific to the stool body site

**ZellerG\_2014.pathabundance\_relab.stool:** An ExpressionSet with 199 samples and 18,579 features specific to the stool body site

**ZellerG\_2014.pathcoverage.stool:** An ExpressionSet with 199 samples and 18,579 features specific to the stool body site

## Source

**Title:** Potential of fecal microbiota for early-stage detection of colorectal cancer.

**Author:** Zeller G, Tap J, Voigt AY, Sunagawa S, Kultima JR, Costea PI, Amiot A, Böhm J, Brunetti F, Habermann N, Hercog R, Koch M, Luciani A, Mende DR, Schneider MA, Schrotz-King P, Tournigand C, Tran Van Nhieu J, Yamada T, Zimmermann J, Benes V, Kloor M, Ulrich CM, von Knebel Doeberitz M, Sobhani I, Bork P

**Lab:** [1] Structural and Computational Biology Unit, European Molecular Biology Laboratory, Heidelberg, Germany., [2] Structural and Computational Biology Unit, European Molecular Biology Laboratory, Heidelberg, Germany Department of Gastroenterology and LIC-EA4393-EC2M3, APHP and UPEC Universite Paris-Est Creteil, Creteil, France., [3] Structural and Computational Biology Unit, European Molecular Biology Laboratory, Heidelberg, Germany Department of Applied Tumor Biology, Institute of Pathology University Hospital Heidelberg, Heidelberg, Germany Clinical Cooperation Unit Applied Tumor Biology, German Cancer Research Center (DKFZ), Heidelberg, Germany Molecular Medicine Partnership Unit (MMPU), University Hospital Heidelberg and European Molecular Biology Laboratory, Heidelberg, Germany., [4] Department of Gastroenterology and LIC-EA4393-EC2M3, APHP and UPEC Universite Paris-Est Creteil, Creteil, France., [5] Division of Preventive Oncology, National Center for Tumor Diseases (NCT) Heidelberg, Heidelberg, Germany German Cancer Research Center (DKFZ), Heidelberg, Germany., [6] Department of Surgery, APHP and UPEC Universite Paris-Est Creteil, Creteil, France., [7] Genomics Core Facility, European Molecular Biology Laboratory, Heidelberg, Germany., [8] Department of General, Visceral and Transplantation Surgery, University Hospital Heidelberg, Heidelberg, Germany., [9] Department of Radiology, APHP and UPEC Universite Paris-Est Creteil, Creteil, France., [10] Department of Medical Oncology, APHP and UPEC Universite Paris-Est Creteil, Creteil, France., [11] Department of Pathology and LIC-EA4393-EC2M3, APHP and UPEC Universite Paris-Est Creteil, Creteil, France., [12] Department of Biological Information, Tokyo Institute of Technology, Tokyo, Japan., [13] Department of Applied Tumor Biology, Institute of Pathology University Hospital Heidelberg, Heidelberg, Germany Clinical Cooperation Unit Applied Tumor Biology, German Cancer Research Center (DKFZ), Heidelberg, Germany Molecular Medicine Partnership Unit (MMPU), University Hospital Heidelberg and European Molecular Biology Laboratory, Heidelberg, Germany., [14] Division of Preventive Oncology, National Center for Tumor Diseases (NCT) Heidelberg, Heidelberg, Germany German Cancer Research Center (DKFZ), Heidelberg, Germany Fred Hutchinson Cancer Research Center (FHCRC), Seattle, WA, USA., [15] Department of Gastroenterology and LIC-EA4393-EC2M3, APHP and UPEC Universite Paris-Est Creteil, Creteil, France iradj.sobhani@hmn.aphp.fr bork@embl.de., [16] Structural and Computational Biology Unit, European Molecular Biology Laboratory, Heidelberg, Germany Molecular Medicine Partnership Unit (MMPU), University Hospital Heidelberg and European Molecular Biology Laboratory, Heidelberg, Germany Max Delbrück Centre for Molecular Medicine, Berlin, Germany iradj.sobhani@hmn.aphp.fr bork@embl.de.

**PMID:** 25432777

## Examples

```
ZellerG_2014.metaphlan_bugs_list.stool()
```



# Index

\*Topic **datasets**  
    combined\_metadata, [9](#)

AsnicarF\_2017, [3](#)

BritoIL\_2016, [4](#)

Castro-NallarE\_2015, [5](#)  
Castro\_NallarE\_2015, [6](#)  
ChngKR\_2016, [7](#)  
cmdValidVersions, [8](#)  
combined\_metadata, [9](#)  
curatedMetagenomicData, [11](#)  
curatedMetagenomicData-package  
    (curatedMetagenomicData), [11](#)

ExpressionSet2MRexperiment, [12](#)  
ExpressionSet2phyloseq, [13](#)

FengQ\_2015, [14](#)

getMetaphlanTree, [15](#)

HanniganGD\_2017, [16](#)  
Heitz-BuschartA\_2016, [17](#)  
Heitz\_BuschartA\_2016, [18](#)  
HMP\_2012, [19](#)

KarlssonFH\_2013, [21](#)

LeChatelierE\_2013, [22](#)  
LiJ\_2014, [23](#)  
LiJ\_2017, [25](#)  
LiuW\_2016, [26](#)  
LomanNJ\_2013, [27](#)  
LouisS\_2016, [28](#)

mergeData, [29](#)

NielsenHB\_2014, [30](#)

Obregon-TitoAJ\_2015, [32](#)  
Obregon\_TitoAJ\_2015, [33](#)  
OhJ\_2014, [34](#)

QinJ\_2012, [35](#)

QinN\_2014, [36](#)

RampelliS\_2015, [37](#)  
RaymondF\_2016, [38](#)

SchirmerM\_2016, [39](#)  
SmitsSA\_2017, [40](#)

TettAJ\_2016, [41](#)

VatanenT\_2016, [42](#)  
VincentC\_2016, [43](#)  
VogtmannE\_2016, [44](#)

XieH\_2016, [45](#)

YuJ\_2015, [46](#)

ZellerG\_2014, [47](#)